



# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 12/08/2015

Revision date:

Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Green Line - INTERIOR 1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Consumer use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited  
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road  
Liverpool, L30 4AB - United Kingdom  
T +44 151 530 4740  
[MSDS@turtlewaxeurope.com](mailto:MSDS@turtlewaxeurope.com)

#### 1.4. Emergency telephone number

Emergency number : +44 151 530 4740  
Office hours only 08:30 - 17:00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]


Aerosol 1	H222;H229
Skin Irrit. 2	H315
Eye Irrit. 2	H319

Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H222 - Extremely flammable aerosol  
H229 - Pressurised container: May burst if heated  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation

Precautionary statements (CLP) :

P102 - Keep out of reach of children  
P210 - Keep away from heat, open flames, hot surfaces, sparks. - No smoking  
P211 - Do not spray on an open flame or other ignition source  
P251 - Pressurized container: Do not pierce or burn, even after use  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Pressurised container: May burst if heated. Extremely flammable aerosol.

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	(CAS No) 68512-91-4 (EC no) 270-990-9 (EC index no) 649-083-00-0	1 - 30	Press. Gas Flam. Gas 1, H220 Carc. 1A, H350 Muta. 1B, H340
Benzenesulfonic acid; 4-C10-13-sec-alkylderivs.	(CAS No) 85536-14-7 (EC no) 287-494-3 (REACH-no) 01-2119490234-40	1 - 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	< 10	Eye Irrit. 2, H319
BEZOIC ACID, SODIUM BENZOATE	(CAS No) 532-32-1 (EC no) 208-534-8 (REACH-no) 01-2119460683-35	< 1	Eye Irrit. 2, H319
sodium nitrite	(CAS No) 7632-00-0 (EC no) 231-555-9 (EC index no) 007-010-00-4 (REACH-no) 01-2119471836-27	< 1	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400
2-aminoethanol	(CAS No) 141-43-5 (EC no) 205-483-3 (EC index no) 603-030-00-8 (REACH-no) 01-2119486455-28	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 STOT SE 3, H335
Poly-(oxy-1,2-ethanediyl), alphasodecyl-	(CAS No) 61827-42-7	< 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
N-(2-hydroxyethyl)-N,N-dimethyl alkyl-C12-14-(even numbered)-1-aminium chloride	(EC index no) 931-275-3	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Acute 1, H400
Alcohols, C12-14, ethoxylated	(CAS No) 68439-50-9 (EC no) 500-213-3	< 1	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
TETRAHYDROXYPROPYL ETHYLENEDIAMINE	(CAS No) 102-60-3 (EC no) 203-041-4	< 1	Eye Irrit. 2, H319
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRONELLOL	(CAS No) 106-22-9 (EC no) 203-375-0 (REACH-no) 01-2119453995-23	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	(CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42	< 1	Skin Irrit. 2, H315
Methyl beta-naphthyl ketone (2-Acetonaphthone)	(CAS No) 93-08-3 (EC no) 202-216-2 (REACH-no) 01-2119935927-23	< 1	Acute Tox. 4 (Oral), H302
ACETYL CEDRENE	(CAS No) 32388-55-9 (EC no) 251-020-3 (REACH-no) 01-2119969651-28	< 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
AMYL CINNAMAL	(CAS No) 122-40-7 (EC no) 204-541-5	< 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
BUTYLPHENYL METHYLPROPIONAL	(CAS No) 80-54-6 (EC no) 201-289-8 (REACH-no) 01-2119485965-18	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
HEXAMETHYLINDANOPYRAN	(CAS No) 1222-05-5 (EC no) 214-946-9 (EC index no) 603-212-00-7	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LINALYL ACETATE	(CAS No) 115-95-7 (EC no) 204-116-4 (REACH-no) 01-2119454789-19	< 1	Skin Irrit. 2, H315
PHENETHYL ALCOHOL	(CAS No) 60-12-8 (EC no) 200-456-2	< 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

(L) COUMARIN	(CAS No) 91-64-5 (EC no) 202-086-7 (REACH-no) 01-2119949300-45	< 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
2;6-DIMETHYL-7-OCTEN-2-OL	(CAS No) 18479-58-8 (EC no) 242-362-4 (REACH-no) 01-2119457274-37	< 1	Skin Irrit. 2, H315
(L) GERANIOL	(CAS No) 106-24-1 (EC no) 203-377-1 (REACH-no) 01-2119552430-49	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
(L) CITRAL	(CAS No) 5392-40-5 (EC no) 226-394-6 (EC index no) 605-019-00-3 (REACH-no) 01-2119462829-23	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
TERPINEOL	(CAS No) 8000-41-7 (EC no) 232-268-1 (REACH-no) 01-2119553062-49	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
CYCLAMEN ALDEHYDE	(CAS No) 103-95-7 (EC no) 203-161-7	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
LAVANDULA HYBRIDA GROSSO HERB EXTRACT	(CAS No) 93455-97-1 (EC no) 297-385-2	< 1	Acute Tox. 4 (Dermal), H312 Aquatic Chronic 3, H412
CITRUS RETICULATA LEAF OIL	(CAS No) 8014-17-3 (EC no) 284-521-0	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CARVONE	(CAS No) 6485-40-1 (EC no) 229-352-5	< 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
ALLYL PHENOXYACETATE	(CAS No) 7493-74-5 (EC no) 231-335-2	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Skin Sens. 1, H317
DODECANENITRILE	(CAS No) 2437-25-4 (EC no) 219-440-1	< 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
2-aminoethanol	(CAS No) 141-43-5 (EC no) 205-483-3 (EC index no) 603-030-00-8 (REACH-no) 01-2119486455-28	(C >= 5) STOT SE 3, H335

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
-------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protection equipment (PPE).  
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.  
Methods for cleaning up : Absorb spillage to prevent material damage.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.  
Prohibitions on mixed storage : Do not mix with organic peroxides. Infectious substances. No contact with flammable substances. Radioactive materials.  
Storage area : Store away from heat. Store in a well-ventilated place.  
Packaging materials : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-aminoethanol (141-43-5)		
United Kingdom	Local name	2-Aminoethanol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	2.5 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	7.6 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	3 ppm
United Kingdom	Remark (WEL)	Sk

#### 8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.  
Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment  
Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 3.4 - 4.2
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>BEZOIC ACID, SODIUM BENZOATE (532-32-1)</b>	
LD50 oral	2100 mg/kg bodyweight
<b>sodium nitrite (7632-00-0)</b>	
LD50 oral	180 mg/kg bodyweight
<b>sodium carbonate (497-19-8)</b>	
LD50 oral	4090 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2300 mg/m <sup>3</sup>
<b>2-aminoethanol (141-43-5)</b>	
LD50 oral	1515 mg/kg bodyweight
LD50 dermal	2504 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	136 mg/m <sup>3</sup>

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

<b>Benzenesulfonic acid; 4-C10-13-sec-alkylderivs. (85536-14-7)</b>	
LD50 oral	1470 mg/kg bodyweight
<b>BUTYLPHENYL METHYLPROPIONAL (80-54-6)</b>	
LD50 oral	1390 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
<b>Linalool (78-70-6)</b>	
LD50 oral	2780 mg/kg bodyweight
LD50 dermal	5610 mg/kg bodyweight
<b>(L) COUMARIN (91-64-5)</b>	
LD50 oral	500 mg/kg bodyweight
<b>CITRONELLOL (106-22-9)</b>	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
<b>TERPINEOL (8000-41-7)</b>	
LD50 oral	4300 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 4760 mg/m <sup>3</sup>
<b>2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)</b>	
LD50 oral	3600 mg/kg bodyweight
<b>(L) CITRAL (5392-40-5)</b>	
LD50 oral	4950 mg/kg bodyweight
LD50 dermal	2250 mg/kg bodyweight
<b>(L) GERANIOL (106-24-1)</b>	
LD50 oral	4200 mg/kg bodyweight
<b>PHENETHYL ALCOHOL (60-12-8)</b>	
LD50 oral	1610 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
<b>CITRUS RETICULATA LEAF OIL (8014-17-3)</b>	
LD50 oral	4700 mg/kg bodyweight
<b>AMYL CINNAMAL (122-40-7)</b>	
LD50 oral	3730 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
<b>Methyl beta-naphthyl ketone (2-Acetonaphthone) (93-08-3)</b>	
LD50 oral	1985 mg/kg bodyweight
<b>CARVONE (6485-40-1)</b>	
LD50 oral	1600 mg/kg bodyweight
LD50 dermal	3800 mg/kg bodyweight
<b>ALLYL PHENOXYACETATE (7493-74-5)</b>	
LD50 oral	500 mg/kg bodyweight
LD50 dermal	1100 mg/kg bodyweight
<b>CYCLAMEN ALDEHYDE (103-95-7)</b>	
LD50 oral	3810 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

<b>BEZOIC ACID, SODIUM BENZOATE (532-32-1)</b>	
LC50 fish 1	> 100 mg/l
EC50 other aquatic organisms 1	> 100 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	30.5 mg/l IC50 algea (72 h) mg/l
<b>sodium nitrite (7632-00-0)</b>	
LC50 fish 1	360 mg/l
EC50 other aquatic organisms 1	48 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
<b>sodium carbonate (497-19-8)</b>	
LC50 fish 1	300 mg/l
EC50 other aquatic organisms 1	265 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
<b>2-aminoethanol (141-43-5)</b>	
LC50 fish 1	349 mg/l
EC50 other aquatic organisms 1	65 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2.5 mg/l IC50 algea (72 h) mg/l
<b>Benzenesulfonic acid; 4-C10-13-sec-alkylderivs. (85536-14-7)</b>	
LC50 fish 1	1 mg/l
EC50 other aquatic organisms 1	1 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l
<b>BUTYLPHENYL METHYLPROPIONAL (80-54-6)</b>	
LC50 fish 1	2.2 mg/l
EC50 other aquatic organisms 1	10.7 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
<b>Linalool (78-70-6)</b>	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	88.3 mg/l IC50 algea (72 h) mg/l
<b>(L) COUMARIN (91-64-5)</b>	
LC50 fish 1	56 mg/l
EC50 other aquatic organisms 1	13.5 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
<b>CITRONELLOL (106-22-9)</b>	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2.38 mg/l IC50 algea (72 h) mg/l
<b>TERPINEOL (8000-41-7)</b>	
LC50 fish 1	62 mg/l
EC50 other aquatic organisms 1	73 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	68 mg/l IC50 algea (72 h) mg/l
<b>(L) CITRAL (5392-40-5)</b>	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5 mg/l IC50 algea (72 h) mg/l
<b>AMYL CINNAMAL (122-40-7)</b>	
LC50 fish 1	3 mg/l
EC50 other aquatic organisms 1	1.1 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	1.89 mg/l IC50 algea (72 h) mg/l

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

<b>BEZOIC ACID, SODIUM BENZOATE (532-32-1)</b>	
Log Pow	-2.27
<b>sodium carbonate (497-19-8)</b>	
Log Pow	-6.19

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

<b>2-aminoethanol (141-43-5)</b>	
Log Pow	-1.31
<b>Linalool (78-70-6)</b>	
Log Pow	2.97
<b>(L) COUMARIN (91-64-5)</b>	
Log Pow	1.39
<b>CITRONELLOL (106-22-9)</b>	
Log Pow	3.91
<b>TERPINEOL (8000-41-7)</b>	
Log Pow	3.33
<b>(L) CITRAL (5392-40-5)</b>	
Log Pow	3.45
<b>AMYL CINNAMAL (122-40-7)</b>	
Log Pow	4.33

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1



#### IMDG

Transport hazard class(es) (IMDG)	: 2.1
-----------------------------------	-------



# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Danger labels (IMDG) : 2.1



### IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



### ADN

Transport hazard class(es) (ADN) : 2.2

Danger labels (ADN) : 2.2

:

### RID

Transport hazard class(es) (RID) : 2.2

Danger labels (RID) : 2.2

:



#### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

##### - Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Special provisions for carriage - Operation (ADR) : S2

Tunnel restriction code (ADR) : D

### - Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U

Stowage category (IMDG) : None

Stowage and segregation (IMDG) : Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.

MFAG-No : 126

### - Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Y203

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 203

PCA max net quantity (IATA) : 75kg

CAO packing instructions (IATA) : 203

CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

### - Inland waterway transport

Classification code (ADN) : 5A

Special provisions (ADN) : 19, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP

Ventilation (ADN) : VE04

Number of blue cones/lights (ADN) : 0

Carriage prohibited (ADN) : No

Not subject to ADN : No

### - Rail transport

Classification code (RID) : 5A

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12

Colis express (express parcels) (RID) : CE2

Hazard identification number (RID) : 20

Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : This information of the Safety Data Sheet is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. We are not responsible for the correctness of the information provided and any consequences in using it. Please read the SDS carefully before using the product.

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 3	Oxidising Solids, Category 3
Press. Gas	Gases under pressure
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage

# Green Line - INTERIOR 1

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H361f	Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU TURTLEWAX

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*