

according to 1907/2006/EC, Article 31

Page 1/7

Printing date 11.03.2014 Revision: 11.03.2014 Version number 1

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: AUTOSOL® Express Wax
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Surface protection
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22

42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795

www.autosol.de www.dursol.de

· Further information obtainable from:

Abteilung Produktsicherheit

labor@autosol.de

· Emergency telephone number:

+49 (0)212 - 2718-0 8.00 - 16.00 h

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · Additional information: Keep out of reach of children.
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 11.03.2014 Revision: 11.03.2014 Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 1)

Page 2/7

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

CAS: 5131-66-8 | 3-butoxypropan-2-ol | Xi R36/38 | 1-10% | Skin Irrit. 2, H315; Eye Irrit. 2, H319

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Rinse with warm water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Page 3/7
Printing date 11.03.2014
Revision: 11.03.2014
Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Rubber gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



· Other information

according to 1907/2006/EC, Article 31

Page 4/7
Printing date 11.03.2014
Revision: 11.03.2014
Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 3)
• Eye protection: Goggles recommended during refilling

9 Physical and chemical properties

,				
· Information on basic physical and chemical properties				
· General Information				
· Appearance:				
Form:	Fluid			
Colour:	Colourless			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value at 20 °C:	4.6			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	100 °C			
· Flash point:	> 100 °C			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:				
Decomposition temperature:	Not determined.			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure:	Not determined.			
· Density at 20 °C:	0.998 g/cm ³			
· Relative density	Not determined.			
· Vapour density	Not determined.			
Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
water:	Fully miscible.			
Partition coefficient (n-octanol/water				
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
	Not determined.			

No further relevant information available.

GB —



according to 1907/2006/EC, Article 31

Page 5/7
Printing date 11.03.2014
Revision: 11.03.2014
Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· I D/I C50	values re	levant for	classification:
LD/LUJU	values le	ievalit ioi	Ciassilication

112-34-5 2-(2-butoxyethoxy)ethanol

Oral LD50 5660 mg/kg (rat)
Dermal LD50 4000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/7
Printing date 11.03.2014
Revision: 11.03.2014
Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information · UN-Number · ADR, ADN, IMDG, IATA Void · UN proper shipping name · ADR, ADN, IMDG, IATA Void Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · Packing group · ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation":

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Page 7/7

Printing date 11.03.2014 Revision: 11.03.2014 Version number 1

Trade name: AUTOSOL® Express Wax

(Contd. of page 6)

R36/38 Irritating to eyes and skin.

· Department issuing MSDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen Germany

Abteilung F&E / Produktsicherheit

· Contact: labor@autosol.de

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

GB —