

according to 1907/2006/EC, Article 31

Page 1/8

Printing date 20.01.2022 Revision: 20.01.2022 Version number 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Stainless Steel Polish
- · UFI: GDT4-U0RS-D008-TE4Q
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22 42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795

www.autosol.de

· Further information obtainable from:

Abteilung Produktsicherheit

labor@autosol.de

· 1.4 Emergency telephone number:

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: german & english

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

- · Additional information: Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Page 2/8
Printing date 20.01.2022
Revision: 20.01.2022
Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 1)

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
EC number: 920-750-0	Naphtha (petroleum), hydrotreated light	10-25%	
Reg.nr.: 01-2119473851-33-xxxx	♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%	1-10%	
Reg.nr.: 01-2119457273-39-xxxx	aromatics		
	\delta Asp. Tox. 1, H304		
CAS: 64-17-5	ethanol	1-10%	
EINECS: 200-578-6	♠ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319		
Reg.nr.: 01-2119457610-43-xxxx			
EC number: 918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene	1-10%	
Reg.nr.: 01-2119463583-34-xxxx	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336		

Regulation (EC) No 648/2004 on detergents / Labelling for contents		
aliphatic hydrocarbons	≥30%	
soap	≥5 - <15%	
aromatic hydrocarbons	<5%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 20.01.2022

Revision: 20.01.2022 Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 2)

Page 3/8

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Page 4/8

Printing date 20.01.2022 Revision: 20.01.2022 Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Recommended thickness of the material: ≥ 0.5 mm

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties     General Information		
· Appearance:		
Form:	Pasty	
Colour:	White	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	100 °C	
· Flash point:	>100 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.048 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Page 5/8
Printing date 20.01.2022
Revision: 20.01.2022
Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 4)

· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic at 40 °C:	Not determined. >21 mm²/s
· 9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

Г	LD/LC50 values relevant for classification:				
L					
	Naphtha (petroleum), hydrotreated light				
	Oral	LD50	5,000 mg/kg (rat)		
	Dermal	LD50	2,800 mg/kg (rabbit)		
	Inhalative	LC50 (4 h)	>23.3 mg/l (rat)		
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%				
	aromatics				
	Oral	LD50	>5,000 mg/kg (rat)		
	Dermal	LD50	>5,000 mg/kg (rabbit)		
	Inhalative	LC50 (4 h)	4,951 mg/l (rat)		
	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics				
Г	Oral	LD50	>5,000 mg/kg (rat)		
	Dermal	LD50	>5,000 mg/kg (rabbit)		
	Inhalative	LC50 (4 h)	>5,000 mg/l (rat)		
Г	64-17-5 ethanol				
	Oral	LD50	7,060 mg/kg (rat)		
	Inhalative	LC50 (4 h)	20,000 mg/l (rat)		
			(0 + 1 = 0)		

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Page 6/8

Printing date 20.01.2022 Revision: 20.01.2022 Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 5)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

EC50 >1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

- GB -



according to 1907/2006/EC, Article 31

Page 7/8
Printing date 20.01.2022

Revision: 20.01.2022 Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 6)

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul><li>· 14.5 Environmental hazards:</li><li>· Marine pollutant:</li></ul>	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

#### · Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstraße 22

42655 Solingen

Germany

Abteilung F&E / Produktsicherheit

· Contact: labor@autosol.de

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Page 8/8

Printing date 20.01.2022 Revision: 20.01.2022 Version number 13

Trade name: Stainless Steel Polish

(Contd. of page 7)

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· \* Data compared to the previous version altered.