



# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 21/01/2022 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : HYBRID SOLUTIONS CERAMIC WASH & WAX  
UFI : PYFM-M34F-Y00U-RQUY  
Product code : SDS-028-J-1.0  
Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Automotive Care Products.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited  
GB: Alaska House, Atlantic Park, Dunnings Bridge Road, Liverpool, L30 4AB.  
EU: Suite 401, The Capel Building, Mary's Abbey, Dublin 7, Ireland, D07 N4C6.  
T GB & EU +44 (0) 845 600 3663  
[MSDS@turtlewax.com](mailto:MSDS@turtlewax.com)

#### 1.4. Emergency telephone number

Emergency number : GB & EU +44 (0) 845 600 3663  
Office hours only 08:30 - 17:00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger  
Contains : DICOCODIMONIUM CHLORIDE, PEG-2 OLEAMINE, LAURAMINE OXIDE & MYRISTAMINE OXIDE, COCAMIDOPROPYL BETAINE  
Hazard statements (CLP) : H318 - Causes serious eye damage.  
H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P102 - Keep out of reach of children.  
P273 - Avoid release to the environment.

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	P280 - Wear eye protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a doctor.
	P501 - Dispose of contents / container in accordance with local / national regulations.
EUH-statements	: EUH208 - Contains METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE. May produce an allergic reaction.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

### 2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	CAS-No.: 308062-28-4 EC-No.: 931-292-6	1 – 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-Propanaminium; 3-amino-N-(carboxymethyl)-N,Ndimethyl-; N-C8-18(even numbered) acyl derivs.;hydroxides; inner salts	CAS-No.: 97862-59-4 EC-No.: 931-296-8	1 – 10	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Alcohols, C9-11 ethoxylated	CAS-No.: 68439-46-3	1 – 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Mineral Seal Oil	CAS-No.: 64741-44-2 EC-No.: 265-044-7	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373 Aquatic Chronic 2, H411
Quaternary ammonium compounds; dicocoalkyl; dimethyl; chlorides	CAS-No.: 61789-77-3 EC-No.: 263-087-6	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10)
2-(2-butoxyethoxy)ethanol substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	0.1 – 1	Eye Irrit. 2, H319
2;2'-(Octadec-9-enylimino)bisethanol	CAS-No.: 25307-17-9 EC-No.: 246-807-3 REACH-no: 01-2119510876-35	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Pentyl acetate substance with a Community workplace exposure limit	CAS-No.: 628-63-7 EC-No.: 211-047-3 EC Index-No.: 607-130-00-2	< 0.1	Flam. Liq. 3, H226
acetic acid ... % substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	< 0.1	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	CAS-No.: 55965-84-9 EC-No.: 611-341-5 EC Index-No.: 613-167-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
acetic acid ... %	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	( 10 ≤C < 25) Eye Irrit. 2, H319 ( 10 ≤C < 25) Skin Irrit. 2, H315 ( 25 ≤C < 90) Skin Corr. 1B, H314 ( 90 ≤C < 100) Skin Corr. 1A, H314
Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	CAS-No.: 55965-84-9 EC-No.: 611-341-5 EC Index-No.: 613-167-00-5	( 0.0015 ≤C < 100) Skin Sens. 1, H317 ( 0.06 ≤C < 0.6) Eye Irrit. 2, H319 ( 0.06 ≤C < 0.6) Skin Irrit. 2, H315 ( 0.6 ≤C < 100) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause slight irritation.
Symptoms/effects after eye contact	: Serious damage to eyes. Burning sensation. Redness of the eye tissue. Tears.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. May cause irritation to the digestive tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.  
Explosion hazard : Product is not explosive.  
Reactivity in case of fire : Not known.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Precautionary measures fire : Not applicable.  
Firefighting instructions : Use extinguishing media appropriate for surrounding fire.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clear spills immediately. Ensure adequate ventilation.

##### 6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Stop release. Avoid contact with eyes.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Stop release. Avoid contact with eyes.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Wipe up with absorbent material (for example cloth). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash away remainder with plenty of water. This material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : This material and its container must be disposed of as hazardous waste.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep out of reach of children. Observe the label precautions. Use personal protective equipment as required. Avoid contact with eyes.  
Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool. Keep out of reach of children. Protect against frost. Keep container closed when not in use.
Storage area	: Store in a well-ventilated place. Keep out of frost.
Packaging materials	: Keep only in original container.

### 7.3. Specific end use(s)

Automotive Care Products.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

acetic acid ... % (64-19-7)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Acetic acid
WEL TWA (OEL TWA) [1]	25 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	50 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
2-(2-butoxyethoxy)ethanol (112-34-5)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA) [1]	67.5 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	101.2 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	15 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Pentyl acetate (628-63-7)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Pentyl acetate
WEL TWA (OEL TWA) [1]	270 mg/m <sup>3</sup> all isomers
WEL TWA (OEL TWA) [2]	50 ppm all isomers
WEL STEL (OEL STEL)	541 mg/m <sup>3</sup> all isomers
WEL STEL (OEL STEL) [ppm]	100 ppm all isomers
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure adequate ventilation.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed. Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product. Standard EN 166 - Personal eye-protection - specifications

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

##### Other skin protection

##### Materials for protective clothing:

Wear suitable working clothes

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

Read label before use. Observe the label precautions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: pleasant fruity.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Refractive index : 1.3398 – 1.3418

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Acids. Oxidising agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### acetic acid ... % (64-19-7)

LD50 oral rat	3310 mg/kg bodyweight Animal: rat
LD50 oral	3310 mg/kg bodyweight

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Mineral Seal Oil (64741-44-2)</b>	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	4.6 mg/l/4h
<b>Quaternary ammonium compounds; dicocoalkyl; dimethyl; chlorides (61789-77-3)</b>	
LD50 oral	> 200 mg/kg bodyweight
<b>2-(2-butoxyethoxy)ethanol (112-34-5)</b>	
LD50 oral	5660 mg/kg bodyweight
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l
<b>Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (308062-28-4)</b>	
LD50 oral rat	1064 mg/kg
<b>Alcohols, C9-11 ethoxylated (68439-46-3)</b>	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3 one and 2-methyl-2H-isothiazol-3-one (55965-84-9)</b>	
LD50 oral	59 mg/kg bodyweight
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 75 mg/kg bodyweight
Skin corrosion/irritation	: Not classified pH: 6
Serious eye damage/irritation	: Causes serious eye damage. pH: 6
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
<b>Mineral Seal Oil (64741-44-2)</b>	
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>acetic acid ... % (64-19-7)</b>	
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male
<b>Mineral Seal Oil (64741-44-2)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
<b>2;2'-(Octadec-9-enylimino)bisethanol (25307-17-9)</b>	
NOAEL (oral, rat, 90 days)	30 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)



# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2-(2-butoxyethoxy)ethanol (112-34-5)</b>	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
<b>Alcohols, C9-11 ethoxylated (68439-46-3)</b>	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
<b>Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3 one and 2-methyl-2H-isothiazol-3-one (55965-84-9)</b>	
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.  
Ecology - water : Harmful to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

<b>acetic acid ... % (64-19-7)</b>	
LC50 - Fish [1]	> 1000 mg/l
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	65 mg/l
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum

### Quaternary ammonium compounds; dicocoalkyl; dimethyl; chlorides (61789-77-3)

LC50 - Fish [1]	1 mg/l
EC50 - Other aquatic organisms [1]	1 mg/l waterflea
EC50 - Other aquatic organisms [2]	0.06 mg/l IC50 algae (72 h) mg/l

### 2;2'-(Octadec-9-enylimino)bisethanol (25307-17-9)

LC50 - Fish [1]	0.1 – 1 mg/l
EC50 - Crustacea [1]	0.01 – 0.1 mg/l
EC50 72h - Algae [1]	0.01 – 0.1 mg/l

<b>2-(2-butoxyethoxy)ethanol (112-34-5)</b>	
LC50 - Fish [1]	1300 mg/l

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (112-34-5)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Alcohols, C9-11 ethoxylated (68439-46-3)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3 one and 2-methyl-2H-isothiazol-3-one (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.126 mg/l waterflea
EC50 - Other aquatic organisms [2]	0.003 mg/l
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

### 12.2. Persistence and degradability

HYBRID SOLUTIONS CERAMIC WASH & WAX	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

HYBRID SOLUTIONS CERAMIC WASH & WAX	
Bioaccumulative potential	Not established.

acetic acid ... % (64-19-7)	
Partition coefficient n-octanol/water (Log Pow)	-0.2

2-(2-butoxyethoxy)ethanol (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	0.56

Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3 one and 2-methyl-2H-isothiazol-3-one (55965-84-9)	
Partition coefficient n-octanol/water (Log Pow)	0.4

### 12.4. Mobility in soil

HYBRID SOLUTIONS CERAMIC WASH & WAX	
Ecology - soil	Not established.

### 12.5. Results of PBT and vPvB assessment

No additional information available

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Other adverse effects : None known  
Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### Detergent Regulation (648/2004/EC): Labelling of contents:

Component	%
cationic surfactants, amphoteric surfactants, non-ionic surfactants	<5%
2-BROMO-2-NITROPROPANE-1,3-DIOL	
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE	
perfumes	

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

##### Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3

# HYBRID SOLUTIONS CERAMIC WASH & WAX

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.