

**Burgess Marine Wooden Deck Cleaner**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name	Burgess Marine Wooden Deck Cleaner
Product code	0824
Unique Formula Identifier (UFI)	9K82-X026-300C-4DMU
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Cleaning agent
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Granville Oil & Chemicals Ltd.
Address of Manufacturer	29 Goldthorpe Ind. Est., Goldthorpe, Rotherham, South Yorkshire,
Postal code	S63 9BL
Telephone:	+44 (0)1709 890099
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	08:00 - 17:00
Responsible Person	
Company Identification	Veedol Deutschland GmbH
Address of Responsible Person	Hans-Böckler-Straße 10 Langenfeld, Germany
Postal code	40764
Telephone:	+49 (0) 2173 893 30 30
Fax	Not known.
E-mail	lab@granvilleoil.com

1.4 Emergency telephone number

Emergency Phone No.	+44 (0)1709 890099
Contact	Granville Lab

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP)	Skin Corr. 1 :Causes severe skin burns and eye damage. Eye Dam. 1 :Causes serious eye damage.
-------------------------------------	--

**Burgess Marine Wooden Deck Cleaner****2.2 Label elements**

Product Name Burgess Marine Wooden Deck Cleaner
Contains Sodium hydroxide caustic soda

Hazard Pictogram(s)



GHS05

Signal Word(s)

Danger

Hazard Statement(s)

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s)

P264: Wash hands and exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Unique Formula Identifier (UFI)

9K82-X026-300C-4DMU

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	<1	Acute Tox. 4 H302 Eye Dam. 1 H318 Acute Tox. 3 H331 STOT RE 2 H373	GHS06 GHS05 GHS08 GHS07

**Burgess Marine Wooden Deck Cleaner**

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	97862-59-4	308-107-7	<1	Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
sodium hydroxide caustic soda	1310-73-2	215-185-5	<1	Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318	GHS05
Alcohols, C9-11, ethoxylated	68439-46-3	614-482-0	<1	Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
tetrasodium ethylene diamine tetraacetate	64-02-8			Acute Tox. 4 (H302) :500.000 Acute Tox. 3 (H331) : 3.000
Alcohols, C9-11, ethoxylated	68439-46-3			Acute Tox. 4 (H302) :500.000

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Remove contaminated clothing and wash all affected areas with plenty of water. If skin irritation or rash occurs: Get medical help.
Eye Contact	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical help immediately.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

**Burgess Marine Wooden Deck Cleaner****5.1 Extinguishing media**

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear protective clothing as per section 8.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way. Prevent entry into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

Cleaning agent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Sodium hydroxide	1310-73-2				2	

**Burgess Marine Wooden Deck Cleaner**

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Green.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	> 11.5
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Soluble Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.

**Burgess Marine Wooden Deck Cleaner**

Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 37037.04000
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 333.33000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Calculation method : Causes serious eye damage.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

**Burgess Marine Wooden Deck Cleaner**

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation.
Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION**14.1 UN number or ID number**

UN No. 1760

14.2 UN proper shipping name

UN proper shipping name CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 8

ADR Classification Code C9

Special Provisions 274

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code 2X

Mixed Packing Instructions for P001 IBC03 LP01 R001

Packages

Special Packing Provisions for
Packages

**Burgess Marine Wooden Deck Cleaner**

Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP28
Tank Code for Tanks	L4BN
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	3
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	V12
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	
ADR HIN	80
IMDG	
IMDG Class	8
Special Provisions	274
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1 TP28
IMDG EMS	F-A, S-B
Stowage and Handling	Category A SW2
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y841
Passenger and Cargo Aircraft Limited Quantities Max net Qty	1L
Passenger and Cargo Aircraft Packing Instructions	852
Passenger and Cargo Aircraft Max net Qty	5L
Cargo Aircraft Packing Instructions	856
Cargo Aircraft Max net Qty	60L
Special Provisions	A3, A803

**Burgess Marine Wooden Deck Cleaner**

Emergency Response Guidebook (ERG) 8L

Code

Labels

Labels

8

**14.4 Packing group**

Packing group

III

14.5 Environmental hazards

Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user

Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation

High Concern for Authorisation

REACH: ANNEX XIV list of substances

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

sodium hydroxide caustic soda (1310-73-2), tetrasodium ethylene diamine tetraacetate (64-02-8), Alcohols, C9-11, ethoxylated (68439-46-3), 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts (97862-59-4)

Community Rolling Action Plan (CoRAP)

Regulation (EC) N° 850/2004 of the European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the European Parliament and of the Council

concerning the export and import of

hazardous chemicals

Not listed

Not listed

Not listed

National regulations

Other

Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

**Burgess Marine Wooden Deck Cleaner****LEGEND**

Hazard Pictogram(s)



GHS05

GHS06: GHS: Skull and crossbones

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

Hazard classification

Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1 : Skin corrosion/irritation, Category 1

Skin Corr. 1A : Skin corrosion/irritation, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Acute Tox. 3 : Acute toxicity, Category 3

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H373: May cause damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

**Burgess Marine Wooden Deck Cleaner**

P321: Specific treatment (see Medical Advice on this label).

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

IATA : International Air Transport Association

IBC : Intermediate Bulk Container

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.