

Burgess Marine Woodsealer

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Burgess Marine Woodsealer
Product code 0729, 0752, 0748,0749
Unique Formula Identifier (UFI) RDS1-A0VW-V00R-2YGE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC1 Adhesives, sealants
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet**Manufacturer**

Company Identification Granville Oil & Chemicals Ltd
Address of Manufacturer 29 Goldthorpe Ind. Est.,
Goldthorpe,
Rotherham,
South Yorkshire,
Postal code S63 9BL
Telephone: +44 (0)1709 890099
Fax Not known.
E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

Supplier

Company Identification **Veedol Ireland Ltd**
Address of Supplier Office 2, 12A Lower Main Street
Lucan K78 X5P8,
Co. Dublin,
Ireland

Postal code
Telephone: +353 151 363 47
Fax Not known.
E-mail lab@granvilleoil.com
Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099
Contact Granville Lab
National response centre
Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Burgess Marine Woodsealer

Regulation (EC) No. 1272/2008 (CLP) Skin Sens. 1A :May cause an allergic skin reaction.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

 Product Name Burgess Marine Woodsealer
 Contains 2-methylisothiazol-3(2H)-one

Hazard Pictogram(s)



GHS07

Signal Word(s) Warning

Hazard Statement(s) H317: May cause an allergic skin reaction.

 Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.
 P102: Keep out of reach of children.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352: IF ON SKIN: Wash with plenty of water.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI) RDS1-A0VW-V00R-2YGE

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1 Substances

Not applicable.

3.2 Mixtures

| HAZARDOUS INGREDIENT(S) | CAS No. | EC No. / REACH Registration No. | %W/W | Hazard Statement(s) | Hazard Pictogram(s) |
|--------------------------------------|----------|---------------------------------|------|---------------------|---------------------|
| 2,2' -oxybisethanoldiethylene glycol | 111-46-6 | 203-872-2 | <1 | Acute Tox. 4 H302 | GHS07 |

Burgess Marine Woodsealer

| | | | | | |
|---|------------|-----------|-------|--|----------------------------------|
| Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione | 5395-50-6 | 226-408-0 | <1 | Skin Sens. 1B H317 | GHS07 |
| 2-methylisothiazol-3(2H)-one | 2682-20-4 | 220-239-6 | <0.1 | Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 | GHS06 GHS05 GHS07 GHS09 |
| 1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one | 2634-33-5 | 220-120-9 | <0.1 | Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 | GHS06 GHS05 GHS07 GHS09 |
| formaldehyde ...% | 50-00-0 | 200-001-8 | <0.1 | Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Muta. 2 H341 Carc. 1B H350 | GHS06 GHS05 GHS08 GHS07 |
| 1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one | 2634-33-5 | 220-120-9 | <0.1 | Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 | GHS06 GHS05 GHS07 GHS09 |
| Mixture of: 5- Chloro-2-methyl4-isothiazolin-3-one [EC No. 247- 500-7] and 2- Methyl-2Hisothiazol-3-one [EC No. 220-239- 6] (3:1) | 55965-84-9 | | <0.01 | Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Acute Tox. 2 H330 Acute Tox. 3 H331 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 | GHS06 GHS05 GHS07 GHS09 |

Burgess Marine Woodsealer

| HAZARDOUS INGREDIENT(S) | CAS No. | Specific Concentration Limit | | M-factor | ATE |
|--|------------|------------------------------|------------|---------------------------|--|
| 2,2' -oxybisethanoldiethylene glycol | 111-46-6 | | | | Acute Tox. 4 (H302) : 500 |
| 2-methylisothiazol-3(2H)-one | 2682-20-4 | Skin Sens. 1A | C>= 0.0015 | Aquatic Acute 1: 10 | Acute Tox. 3 (H301) : 100 Acute Tox. 3 (H311) : 300 Acute Tox. 2 (H330) : 0.500 |
| | | | <= 100.00 | | |
| 1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one | 2634-33-5 | | | | Acute Tox. 4 (H302) : 500 Acute Tox. 2 (H330) : 0.500 |
| formaldehyde ...% | 50-00-0 | | | | Acute Tox. 3 (H301) : 100 Acute Tox. 3 (H311) : 300 Acute Tox. 3 (H331) : 3.000 |
| 1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one | 2634-33-5 | | | | Acute Tox. 4 (H302) : 500 Acute Tox. 2 (H330) : 0.500 |
| Mixture of: 5- Chloro-2-methyl4-isothiazolin-3- one [EC No. 247- 500-7] and 2- Methyl-2Hisothiazol-3-one [EC No. 220-239- 6] (3:1) | 55965-84-9 | | | | Acute Tox. 3 (H301) : 100 Acute Tox. 3 (H311) : 300 Acute Tox. 2 (H330) : 3.000 Acute Tox. 3 (H331) : 3.000 |

Burgess Marine Woodsealer

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

| | |
|--------------|--|
| Inhalation | Remove patient to fresh air. |
| Skin Contact | Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). |
| Eye Contact | Flush eyes with water for at least 15 minutes. |
| Ingestion | Wash out mouth with water. |

4.2 Most important symptoms and effects, both acute and delayed

Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

| | |
|--------------------------------|--------------------------------------|
| Suitable Extinguishing media | As appropriate for surrounding fire. |
| Unsuitable extinguishing media | None. |

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

Burgess Marine Woodsealer

7.1 Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.
 Storage life Stable under normal conditions.
 Incompatible materials None known.

7.3 Specific end use(s)

PC1 Adhesives, sealants

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

| Occupational Exposure Limits | | | | | | |
|------------------------------|----------|---------------------|------------------------------------|------------|---------------------------|------|
| SUBSTANCE. | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m ³) | STEL (ppm) | STEL (mg/m ³) | Note |
| 2,2'-Oxydiethanol | 111-46-6 | 23 | 101 | | | |
| Formaldehyde | 50-00-0 | 2 | 2.5 | 2 | 2.5 | Carc |

Region Source
 United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes
 Carc Capable of causing cancer and/or heritable genetic damage.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN ISO 16321-1).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection Normally no personal respiratory protection is necessary.

Burgess Marine Woodsealer

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

| | |
|--|---|
| Physical state | Liquid. |
| Colour | Brown. |
| Odour | Characteristic odour. |
| Melting point/freezing point | Not known. |
| Boiling point or initial boiling point and boiling range | Not known. |
| Flammability | Not known. |
| Lower and upper explosion limit | Not known. |
| Flash Point | Not known. |
| Auto-ignition temperature | Not known. |
| Decomposition Temperature | Not known. |
| pH | Not known. |
| Kinematic Viscosity | Not known. |
| Solubility | Solubility (Water) : Miscible. Solubility (Other) : Not known. |
| Partition coefficient n-octanol/water (log value) | Not known. |
| Vapour pressure | Not known. |
| Density and/or relative density | Relative density : 1.0205 |
| Relative vapour density | Not known. |
| Particle characteristics | Not known. |

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Protect from frost.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

Burgess Marine Woodsealer

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

| | |
|--------------------------------|--|
| Acute toxicity - Ingestion | Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 182888.91 |
| Acute toxicity - Skin Contact | Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 3300330 |
| Acute toxicity - Inhalation | Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 3332.59 |
| Skin corrosion/irritation | Calculation method : Not classified. |
| Serious eye damage/irritation | Calculation method : Not classified. |
| Skin sensitization data | Calculation method : May cause an allergic skin reaction. |
| Respiratory sensitization data | Calculation method : Not classified. |
| Germ cell mutagenicity | Calculation method : Not classified. |
| Carcinogenicity | Calculation method : Not classified. |
| Reproductive toxicity | Calculation method : Not classified. |
| Lactation | Calculation method : Not classified. |
| STOT - single exposure | Calculation method : Not classified. |
| STOT - repeated exposure | Calculation method : Not classified. |
| Aspiration hazard | Calculation method : Not classified. |

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

| | |
|------------------------------------|--------------------------------|
| Toxicity - Aquatic invertebrates | Low toxicity to invertebrates. |
| Toxicity - Fish | Low toxicity to fish. |
| Toxicity - Algae | Low toxicity to algae. |
| Toxicity - Sediment Compartment | Not classified. |
| Toxicity - Terrestrial Compartment | Not classified. |

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

Burgess Marine Woodsealer**12.7 Other adverse effects**

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Carcinogens: category 1B (50-00-0), 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5), Mixture of: 5-Chloro-2-methyl-4-isothiazolin-3-one [EC No. 247-500-7] and 2-Methyl-2-isothiazol-3-one [EC No. 220-239-6] (3:1) (55965-84-9), 2,2'-oxybisethanoldiethylene glycol (111-46-6), Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5-(1H,3H)-dione (5395-50-6), 2-methylisothiazol-3(2H)-one (2682-20-4)

Community Rolling Action Plan (CoRAP) 2,2'-oxydiethanol (111-46-6), Formaldehyde (50-00-0)

Burgess Marine Woodsealer

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants

Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer

Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

Not listed

National regulations

Other

Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS07

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Acute Tox. 3 : Acute toxicity, Category 3

Skin Corr. 1B : Skin corrosion/irritation, Category 1B

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Skin Sens. 1A : Skin sensitization, Category 1A

Skin Sens. 1B : Skin sensitization, Category 1B

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Acute Tox. 2 : Acute toxicity, Category 2

Acute Tox. 3 : Acute toxicity, Category 3

Muta. 2 : Germ cell mutagenicity, Category 2

Burgess Marine Woodsealer

Carc. 1B : Carcinogenicity, Category 1B

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H331: Toxic if inhaled.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

Burgess Marine Woodsealer

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)
data used to compile the SDS

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.