

CLEAR LACQUER

Page: 1 Compilation date: 04/03/2015 Revision date: 19/03/2019 Revision No: 2.1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CLEAR LACQUER

Product code: 1009

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Unit 29 Goldthorpe Industrial Estate Goldthorpe Rotherham South Yorkshire S63 9BL United Kingdom Tel: +44 (0)1709 890099 Fax: +44 (0)1709 891121 Email: technical@granvilleoil.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1709 890099 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Flam. Aerosol 1: H222; Lact.: H362; STOT SE
	3: H336; -: H229
Most important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes
	serious eye irritation. May cause drowsiness or dizziness. May cause harm to breast-fed
	children. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

CLEAR LACQUER

Page: 2 H362: May cause harm to breast-fed children. H412: Harmful to aquatic life with long lasting effects. Hazard pictograms: GHS02: Flame GHS07: Exclamation mark Signal words: Danger Precautionary statements: P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P263: Avoid contact during pregnancy and while nursing. P280: Wear protective gloves/protective clothing/eye protection/face protection. P251: Do not pierce or burn, even after use. P260: Do not breathe dust/fumes/gas/mist/vapours/spray. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ACETONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-662-2	67-64-1	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066	10-30%

PROPANE

200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10-30%
BUTANE				
203-448-7	106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%

CLEAR LACQUER

Page: 3

XYLENE						
215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	1-10%		
ISOBUTANE						
200-857-2	75-28-5	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%		
1-METHOXY-2-	PROPANOL					
203-539-1	107-98-2	Substance with a Community workplace exposure limit.	Flam. Liq. 3: H226; STOT SE 3: H336	1-10%		
2-BUTOXYETH	ANOL					
203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%		
ALKANES, C14	-17, CHLORO	1				
287-477-0	85535-85-9	-	Lact.: H362; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%		
.1. Description	of first aid me	easures				
5	Skin contact:	Remove all contaminated clothes and	d footwear immediately unless stuck to skin.			
		-	water for 10 minutes or longer if substance is s	till		
	_	on skin. Transfer to hospital if there a				
	-	Bathe the eye with running water for 15 minutes. Consult a doctor.				
	-	Do not induce vomiting. Consult a do Move to fresh air in case of accidenta				
.2. Most import		s and effects, both acute and delaye	·			
			•			
	_	No data available.				
	Lye contact.	No data available.				
	Indestion.	No data available.				
	Inhalation:	No data available. No data available. No data available.				
Delayed / immed	Inhalation: diate effects:	No data available.	atment needed			

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

CLEAR LACQUER

		Page:	4				
5.2. Special hazards arising fi	rom the substance or mixture						
Exposure hazards:	Extremely flammable. In combustion emits toxic fumes. Forms explosive air-vapour						
	mixture. Vapour may travel considerable distance to source of ignition and flash back.						
5.3. Advice for fire-fighters							
Advice for fire-fighters:	Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact						
-	with skin and eyes.						
ection 6: Accidental release	measures						
6.1. Personal precautions, pro	otective equipment and emergency procedures						
Personal precautions:	Refer to section 8 of SDS for personal protection details. Eliminate all sources of						
	ignition. If outside do not approach from downwind.						
6.2. Environmental precaution	15						
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.						
6.3. Methods and material for	containment and cleaning up						
Clean-up procedures:	Absorb into dry earth or sand. Do not use equipment in clean-up procedure which may						
	produce sparks. Clean-up should be dealt with only by qualified personnel familiar with						
	the specific substance.						
6.4. Reference to other sectio	ns						
Reference to other sections:	Refer to section 8 of SDS.						
ection 7: Handling and stora	age						
7.1. Precautions for safe hand	lling						
Handling requirements:	Ensure there is sufficient ventilation of the area. Do not handle in a confined space.						
	Smoking is forbidden. Use non-sparking tools.						
7.2. Conditions for safe stora	ge, including any incompatibilities						
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct	:t					
	sunlight. Keep away from sources of ignition.						
Suitable packaging:	Must only be kept in original packaging.						
7.3. Specific end use(s)							
Specific end use(s):	No data available.						
ection 8: Exposure controls	/personal protection						
			_				

CLEAR LACQUER

-

-

-

Hazardous ingredients:

ACETONE

Workplace exposure limits: **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 1210 mg/m3 3620 mg/m3 -**XYLENE** UK 220 mg/m3 441 mg/m3 -2-BUTOXYETHANOL UK 25 ppm 50 ppm -**DNEL/PNEC** Values

Hazardous ingredients:

XYLENE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	442 mg/m3	Workers	Local
DNEL	Inhalation	180 mg/kg/day	Workers	Systemic
DNEL	Dermal	3182 mg/kg/day	Workers	Systemic
PNEC	Fresh water	0.327 mg/l	-	-
PNEC	Fresh water sediments	12.46 mg/kg	-	-
PNEC	Marine sediments	12.46 mg/kg	-	-
PNEC	Soil (agricultural)	2.31 mg/kg	-	-

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
	equipment are not a source of ignition.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Chemically resistant gloves
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Colourless

Odour: Characteristic odour

Flash point°C: -60

CLEAR LACQUER

Page: 6

9.2. Other information

Other information: No data available

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3000	mg/kg
ORL	RAT	LD50	5800	mg/kg

XYLENE

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

1-METHOXY-2-PROPANOL

IVN	RAT	LD50	4200	mg/kg
ORL	MUS	LD50	11700	mg/kg

CLEAR LACQUER

ORL	RAT	LDLO	3739	ma/ka
				3.3

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Inhalation:	No data available.
Delayed / immediate effects:	No data available.
Other information:	Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
BLUEGILL (Lepomis macrochirus)	96H LC50	8300	mg/l

Hazardous ingredients:

ACETONE

BLUEGILL (Lepomis macrochirus)	LC50	8300 mg/l	

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

Page: 7

CLEAR LACQUER

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Not applicable.
Disposal of packaging:	Not applicable.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Marine pollutant: No

CLEAR LACQUER

Page: 9

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H220: Extremely flammable gas.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H229: Pressurised container: May burst if heated.
	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H336: May cause drowsiness or dizziness.
	H362: May cause harm to breast-fed children.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.