

**ABRO Diesel System Cleaner**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name ABRO Diesel System Cleaner
Product code DS-900
Unique Formula Identifier (UFI) UAF0-D0Y5-G006-VSXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Fuel Additive.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer
Company Identification ABRO Industries Inc
Address of Manufacturer 3580 Blackthorn Court
South Bend
USA
Postal code 46628
Telephone: +1 574-232-8289
Fax Not known.
E-mail abro@abro.com
Office hours
Supplier
Company Identification Granville Oil & Chemicals Ltd
Address of Supplier 29 Goldthorpe Ind. Est.,
Goldthorpe,
Rotherham,
South Yorkshire,
Postal code S63 9BL
Telephone: +44 (0)1709 890099
Fax Not known.
E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 111
National response centre NHS Direct

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 :Flammable liquid and vapour.
Asp. Tox. 1 :May be fatal if swallowed and enters airways.
Skin Irrit. 2 :Causes skin irritation.
Eye Irrit. 2 :Causes serious eye irritation.
Acute Tox. 4 :Harmful if inhaled.

**ABRO Diesel System Cleaner**

STOT SE 3 :May cause respiratory irritation. May cause drowsiness or dizziness.

Muta. 1B :May cause genetic defects.

Carc. 1B :May cause cancer.

Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

Product Name

According to Regulation (EC) No. 1272/2008 (CLP)

ABRO Diesel System Cleaner

Contains

Fuel oil, No 2 Gasoil, Solvent naphtha (petroleum), Naphthalene

Hazard Pictogram(s)



GHS02



GHS08



GHS07

Signal Word(s)

Danger

Hazard Statement(s)

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H340: May cause genetic defects.

H350: May cause cancer.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

Unique Formula Identifier (UFI)

UAF0-D0Y5-G006-VSXX

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

**ABRO Diesel System Cleaner****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Fuel oil, No 2 Gasoil - unspecified [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 ° C (100 ° F) to a maximum of 37,9 SUS at 37,7 ° C (100 ° F).]	68476-30-2		<97	Carc. 2 H351	GHS08
Solvent naphtha (petroleum), heavy arom. Kerosine - unspecified [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 ° C to 290 ° C (330 ° F to 554 ° F).]	64742-94-5		0.5-1.2	Asp. Tox. 1 H304	GHS08
Solvent naphtha (petroleum), light arom. Low boiling point naphtha - unspecified [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135° C to 210° C (275° F to 410° F).]	64742-95-6		0.4 - 0.8	Asp. Tox. 1 H304 Muta. 1B H340 Carc. 1B H350	GHS08
2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve	111-76-2		<1	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332	GHS07
naphthalene	91-20-3		<1	Acute Tox. 4 H302 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS08 GHS07 GHS09



ABRO Diesel System Cleaner

1,2,4-trimethylbenzene	95-63-6		<0.5	Flam. Liq. 3 H226 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332 STOT SE 3 H335 Aquatic Chronic 2 H411	GHS02 GHS07 GHS09
2-ethylhexan-1-ol	104-76-7		<0.5	Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332 STOT SE 3 H335	GHS07
Xylene	1330-20-7		<0.5	Flam. Liq. 3 H226 Acute Tox. 4 H312 Skin Irrit. 2 H315 Acute Tox. 4 H332	GHS02 GHS07
cumene	98-82-8		<0.5	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H335 Carc. 1B H350 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
mesitylene 1,3,5-trimethylbenzene	108-67-8		<0.5	Flam. Liq. 3 H226 STOT SE 3 H335 Aquatic Chronic 2 H411	GHS02 GHS07 GHS09
Non-Hazardous Additives			0.3	Not classified	None

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve	111-76-2			Acute Tox. 4 (H302) : 1200 (18th ATP) Acute Tox. 4 (H312) : 1100 Acute Tox. 4 (H332) : 3 Vapour (18th ATP)
naphthalene	91-20-3			Acute Tox. 4 (H302) : 500

**ABRO Diesel System Cleaner**

1,2,4-trimethylbenzene	95-63-6			Acute Tox. 4 (H332) : 11.000
2-ethylhexan-1-ol	104-76-7			Acute Tox. 4 (H332) : 11.000
Xylene	1330-20-7			Acute Tox. 4 (H312) : 1100 Acute Tox. 4 (H332) : 11.000
mesitylene 1,3,5-trimethylbenzene	108-67-8	STOT SE 3	C>= 25.00 <= 100.00	

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	Remove to fresh air. If not breathing, institute rescue breathing. If breathing is difficult, ensure airway is clear and give oxygen. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). Keep affected person warm and at rest. GET IMMEDIATE MEDICAL ATTENTION.
Skin Contact	Immediately wash exposed skin with plenty of soap and water while removing contaminated clothing and shoes. Get medical attention if irritation persists. Place contaminated clothing in closed container until cleaned or discarded. If clothing is to be laundered, inform the person performing the operation of contaminant's hazardous properties.
Eye Contact	Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. GET IMMEDIATE MEDICAL ATTENTION.
Ingestion	Do not induce vomiting. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. Never give anything by mouth to an unconscious person. Keep affected person warm and at rest. GET IMMEDIATE MEDICAL ATTENTION.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

Note to Physician
If ingested this material represents a significant aspiration and chemical pneumonitis hazard. Induction of emesis is not recommended.

SECTION 5: FIREFIGHTING MEASURES

**ABRO Diesel System Cleaner****5.1 Extinguishing media**

Suitable Extinguishing media CO₂, dry chemical, foam or water spray.

Unsuitable extinguishing media Not Known

5.2 Special hazards arising from the substance or mixture

Combustion produces carbon monoxide, aldehydes, aromatic and other hydrocarbons.

5.3 Advice for firefighters

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Keep surrounding area cool with water spray from a distance and prevent further ignition of combustible material. Keep run-off water out of sewers and water sources.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Chemical splash goggles. Chemical-resistant protective suit. Boots. Chemical-resistant gloves. Selfcontained breathing apparatus (SCBA) should be used to avoid inhalation of the product. Suggested protective clothing might not be adequate. Consult a specialist before handling this product. CAUTION: The protection provided by air-purifying respirators is limited. Use a positive pressure air-supplied respirator if there is any potential for an uncontrolled release, if exposure levels are not known, or if concentrations exceed the protection limits of air-purifying respirator.

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Large Spill:

Stop leak if without risk. Eliminate all ignition sources. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small Spill:

Stop leak if without risk. Eliminate all ignition sources. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Use spark-proof tools and explosionproof equipment. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Also Section 8, 13.

**ABRO Diesel System Cleaner****SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Isolate from sources of heat, sparks, and open flame. Open container in a well ventilated area. Avoid breathing vapors and thermal decomposition products. Keep containers closed when not in use. Vapors are heavier than air and will tend to accumulate in low areas. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Carefully evaluate processes using this product at elevated temperatures to ensure safe operating conditions. Electrostatic buildup may occur when pouring or transferring this product from its container.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
2-Butoxyethanol	111-76-2	25	123	50	246	Sk, BMGV
Trimethylbenzenes, all isomers or mixtures	95-63-6	25	125			
2-ethylhexan-1-ol	104-76-7	1	5.4			
Xylene, o-,m-,p- or mixed isomers	1330-20-7	50	220	100	441	Sk, BMGV
Cumene	98-82-8	25	125	50	250	Sk
Trimethylbenzenes, all isomers or mixtures	108-67-8	25	125			

Region
United Kingdom

Source
UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

**ABRO Diesel System Cleaner**

Remark	Notes
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
BMGV	Biological monitoring guidance values are listed in Table 2.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
2-Butoxyethanol	111-76-2	Post shift	urine	butoxyacetic acid	240 mmol butoxyacetic acid/mol creatinine	
Polycyclic aromatic hydrocarbons (PAHs)	91-20-3	Post shift	urine	1-hydroxypyrene	4 μ mol 1-hydroxypyrene/mol creatinine	
Xylene, o-, m-, p- or mixed isomers	1330-20-7	Post shift	urine	methyl hippuric acid	650 mmol methyl hippuric acid/mol creatinine	

Remark	Notes
--------	-------

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas or vapor concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

8.2.2. Personal protection equipment Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



Eye Protection

No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields.



Skin protection

Neoprene, nitrile, polyvinyl alcohol (PVA), polyvinyl chloride and polyurethane gloves to prevent skin contact. No special protective clothing is normally required. Select protective clothing depending on industrial operations.



Respiratory protection

Use approved organic vapor chemical cartridge or supplied air respirators when material produces vapors that exceed permissible limits or excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 1910.134. Self-contained breathing apparatus should be used for firefighting.



Thermal hazards

None known.

**ABRO Diesel System Cleaner**

8.2.3. Environmental Exposure Controls Local or general exhaust required when using at elevated temperatures that generate vapors or mists.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Clear red liquid.
Odour	Petroleum odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	LEL: 0.3 % UEL: 10 %.
Flash Point	> 140.00 F (60.0 C) Method Used: Pensky-Marten Closed Cup.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Insoluble. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Specific Gravity (Water = 1)	0.810 - 0.880 at 70.0 F (21.1 C).
Density	6.76 - 7.34 LBS/GAL at 70.0 F (21.1 C)
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Forms peroxides of unknown stability.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Strong oxidizers such as nitrates, perchlorates, chlorine, fluorine.

10.6 Hazardous decomposition products

**ABRO Diesel System Cleaner**

Combustion produces carbon monoxide, aldehydes, aromatic and other hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 49382.72
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 141025.64
Acute toxicity - Inhalation	Self classification: Harmful if inhaled.
Skin corrosion/irritation	Self classification: Causes skin irritation.
Serious eye damage/irritation	Self classification: Causes serious eye irritation.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : May cause genetic defects.
Carcinogenicity	Calculation method : May cause cancer.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Self classification: May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Self classification: May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

**ABRO Diesel System Cleaner**

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation.

Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION**14.1 UN number or ID number**

UN No. 1993

14.2 UN proper shipping name

UN proper shipping name FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3

ADR Classification Code F1

Special Provisions 274, 601

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code •3Y

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages

Mixed Packing Instructions for Packages MP19

Packing Instructions for Portable Tanks T4

Special Provisions for Portable Tanks TP1 TP29

Tank Code for Tanks LGBF

Special Provisions for Tanks

Vehicle for Tank Carriage FL

ADR Transport Category 3

Tunnel Restriction Code D/E

Special Provisions for Carriage - Packages V12

**ABRO Diesel System Cleaner**

Special Provisions for Carriage - Bulk

Special Provisions for Carriage -

Loading, Unloading and Handling

Special Provisions for Carriage - S2

Operation

ADR HIN 30

IMDG

IMDG Class 3

Special Provisions 274, 601

Limited Quantities 5 L

Excepted Quantities E1

Mixed Packing Instructions for P001 IBC03 LP01 R001

Packages

Special Packing Provisions for

Packages

Packing Instructions for Portable Tanks T4

Special Provisions for Portable Tanks TP1 TP29

IMDG EMS F-E, S-E

Stowage and Handling Category A

Segregation

Marine Pollutant

ICAO/IATA

IATA Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Excepted Quantities E1

Passenger and Cargo Aircraft Limited Y344

Quantities Packing Instructions

Passenger and Cargo Aircraft Limited 10L

Quantities Max net Qty

Passenger and Cargo Aircraft Packing 355

Instructions

Passenger and Cargo Aircraft Max net 60L

Qty

Cargo Aircraft Packing Instructions 366

Cargo Aircraft Max net Qty 220L

Special Provisions A3

Emergency Response Guidebook (ERG) 3L

Code

Labels

Labels 3

**14.4 Packing group**

Packing group III

14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

**ABRO Diesel System Cleaner****14.6 Special precautions for user**

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Mutagens: category 1B (64742-95-6), Polycyclic-aromatic hydrocarbons (PAH) (91-20-3), Solvent naphtha (petroleum), heavy arom. Kerosine - unspecified [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 ° C to 290 ° C (330 ° F to 554 ° F).] (64742-94-5), 2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve (111-76-2), 1,2,4-trimethylbenzene (95-63-6), 2-ethylhexan-1-ol (104-76-7), Xylene (1330-20-7), cumene (98-82-8), mesitylene 1,3,5-trimethylbenzene (108-67-8)

Community Rolling Action Plan (CoRAP) naphthalene (91-20-3), 2-ethylhexan-1-ol (104-76-7), Xylene (1330-20-7)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Polycyclic aromatic hydrocarbons (PAHs) (91-20-3)

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



**ABRO Diesel System Cleaner**

GHS02

GHS08

GHS07

GHS09: GHS: Environment

Hazard classification

Flam. Liq. 3 : Flammable liquid, Category 3
Acute Tox. 4 : Acute toxicity, Category 4
Asp. Tox. 1 : Aspiration hazard, Category 1
Acute Tox. 4 : Acute toxicity, Category 4
Skin Irrit. 2 : Skin corrosion/irritation, Category 2
Eye Irrit. 2 : Serious eye damage/irritation, Category 2
Acute Tox. 4 : Acute toxicity, Category 4
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
Muta. 1B : Germ cell mutagenicity, Category 1B
Carc. 1B : Carcinogenicity, Category 1B
Carc. 2 : Carcinogenicity, Category 2
Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H226: Flammable liquid and vapour.
H302: Harmful if swallowed.
H304: May be fatal if swallowed and enters airways.
H312: Harmful in contact with skin.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H340: May cause genetic defects.
H350: May cause cancer.
H351: Suspected of causing cancer.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P201: Obtain special instructions before use.

**ABRO Diesel System Cleaner**

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P331: Do NOT induce vomiting.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Acronyms

**ABRO Diesel System Cleaner**

DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ABRO Industries Inc gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ABRO Industries Inc accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.