

Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name 10k Boost Diesel Oil Treatment

Product code 1426, 1432

Unique Formula Identifier (UFI) 6XX3-P03A-X007-NN36

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Lubricating oilsUses Advised AgainstNot known.1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd

Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com

Office hours 08:00 - 17:00

Supplier

Company Identification Veedol Ireland Ltd

Address of Supplier 77 Camden Street Lower,

Saint Kevin's,

Dublin,

Ireland

Postal code D02 XE80,

Telephone: +353 151 363 47
Fax Not known.

E-mail lab@granvilleoil.com

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099
Contact Granville Lab

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Sens. 1B :May cause an allergic skin reaction.

Eye Irrit. 2: Causes serious eye irritation.

2.2 Label elements

Page: 1 - 10 Revision: 3 - Replaces: 2

Granville Oil & Chemicals Ltd

SAFETY DATA SHEET

Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name 10k Boost Diesel Oil Treatment

Contains Phosphorodithioic acid

Hazard Pictogram(s)

(!)

Signal Word(s) Warning

Hazard Statement(s) H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI) 6XX3-P03A-X007-NN36

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
		Registration No.			Pictogram(s)
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts	70024-69-0		<3	Skin Sens. 1B H317	GHS07
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	85940-28-9			Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09



Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	<1	Repr. 2 H361f	GHS08
diphenylamine	122-39-4	<0.	Acute Tox. 3 H311	GHS06 GHS08 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
diphenylamine	122-39-4			Acute Tox. 3 (H301) : 100
				Acute Tox. 3 (H311) : 300
				Acute Tox. 3 (H331) : 3.000

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

comfortable for breathing.

Skin Contact Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Do not induce vomiting wash out mouth with water. Get medical advice/attention if

you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media Foam, CO₂ or dry powder

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture



Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face

protection.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way. Avoid release to

the environment.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a

container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating and drinking.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Store in a well-ventilated place. Keep cool.

Storage life Stable under normal conditions.

Incompatible materials Oxidizing agents.

7.3 Specific end use(s)

Lubricating oils

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits								
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note		
Diphenylamine	122-39-4		10		20			

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)



Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

Remark Notes

8.2 Exposure controls

purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).

Skin protection

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough

time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection

Normally no personal respiratory protection is necessary.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour Red.

Odour Characteristic odour.

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition Temperature

Not known.

Not known.

Not known.

Not known.

With known.

Not known.

Not known.

≥80 mm²/s 40 °C

Solubility Solubility (Water): Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Not known.

Density and/or relative density Density (g/ml): 0.875 g/cm³ - Relative density: 15 °C

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

Vapour pressure



Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1207729.5

Acute toxicity - Skin Contact Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 3623188.5

Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 36231.88

Skin corrosion/irritation Calculation method : Not classified.

Serious eye damage/irritation Calculation method : Causes serious eye irritation.

Skin sensitization data Calculation method : May cause an allergic skin reaction.

Respiratory sensitization data Calculation method: Not classified. Calculation method: Not classified. Germ cell mutagenicity Carcinogenicity Calculation method: Not classified. Calculation method: Not classified. Reproductive toxicity Lactation Calculation method: Not classified. STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified. Calculation method: Not classified. Aspiration hazard

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Granville Oil & Chemicals Ltd.

SAFETY DATA SHEET

Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site. Avoid release to the environment.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known



Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

(122-39-4)

Not listed

Not listed

Diphenylamine (122-39-4)

1)

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and

use of certain dangerous substances, mixtures and articles

Community Rolling Action Plan (CoRAP) Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-

Regulation (EU) N° 2019/1021 of the

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on

substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the

European Parliament and of the Council

concerning the export and import of

hazardous chemicals

National regulations

Other Not known

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

Carcinogens: category 1B (72623-86-0), Benzenesulfonic acid, mono-C16-24-alkyl

derivs., calcium salts (70024-69-0), Phosphorodithioic acid, mixed O,O-bis(2-

ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), diphenylamine

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS07

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification Acute Tox. 3: Acute toxicity, Category 3



Hazard Statement(s)

Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

Acute Tox. 3: Acute toxicity, Category 3

Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1B : Skin sensitization, Category 1B

Eye Dam. 1 : Serious eye damage/irritation, Category 1
Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 3 : Acute toxicity, Category 3

Repr. 2 : Reproductive toxicity, Category 2

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H301: Toxic if swallowed.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms ATE : Acute Toxicity Estimate

CAS: Chemical Abstracts Service

Page: 9 - 10 Revision: 3 - Replaces: 2

Date of Revision: 05-08-2024

10K Boost Diesel Oil Treatment

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL: Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

be assumed.

data used to compile the SDS

Training Advice
Disclaimers

Regular safety training as appropriate

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot

Page: 10 - 10 Revision: 3 - Replaces: 2