

Date of Revision: 16-05-2023

Exhaust Assembly Paste

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Exhaust Assembly Paste Product code 0432, 1644, 0434 0N40-60Y9-V009-4739 Unique Formula Identifier (UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Exhaust maintenance product

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd Address of Manufacturer 29 Goldthorpe Ind. Est.,

> Goldthorpe, Rotherham, South Yorkshire,

S63 9BL Postal code

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com 08:00 - 17:00 Office hours

Responsible Person

Company Identification Veedol Deutschland GmbH. Address of Responsible Person Hans-Böckler-Straße 10

> Langenfeld, Germany

40764 Postal code

+49 (0) 2173 893 30 30 Telephone:

Fax Not known.

E-mail lab@granvilleoil.com

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099 Contact Granville Lab

National response centre

Address **NHS Direct** Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2: Causes skin irritation.

Eye Irrit. 2: Causes serious eye irritation.

2.2 Label elements

Page: 1 - 9 Revision: 5.6 - Replaces: 5.5



Date of Revision: 16-05-2023

Exhaust Assembly Paste

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Exhaust Assembly Paste
Contains Silicic acid, sodium salt

Hazard Pictogram(s)

<u>(!)</u>

Signal Word(s) Warning

Hazard Statement(s) H315: Causes skin irritation

H319: Causes serious eye irritation.

Precautionary Statement(s) P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with local regulations.

Unique Formula Identifier (UFI)

0N40-60Y9-V009-4739

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
INGREDIENT(S)		Registration No.			Pictogram(s)
Silicic acid, sodium salt	1344-09-8	215-687-4	10-30	Skin Irrit. 2 H315	GHS07
				Eye Irrit. 2 H319	



Date of Revision: 16-05-2023

Exhaust Assembly Paste

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation No specific recommendations. If in doubt, get medical attention promptly. Skin Contact Rinse immediately with plenty of water. Get medical attention if any discomfort

continues.

Eye Contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with

plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

Ingestion DO NOT induce vomiting. Get medical attention immediately. Rinse mouth

thoroughly with water. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog. Dry chemicals, sand,

dolomite

5.2 Special hazards arising from the substance or mixture

Toxic gases or vapours.

5.3 Advice for firefighters

Avoid breathing fire gases or vapours.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective gloves, eye and face protection

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

Flush contaminated area with plenty of water.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Page: 3 - 9 Revision: 5.6 - Replaces: 5.5



Date of Revision: 16-05-2023

Exhaust Assembly Paste

Avoid spilling. Avoid contact with skin and eyes. Wash thoroughly after handling.

Use appropriate PPE.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Keep only in the original container.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

The identified uses for this product are detailed in Section 1.2

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits No data available

8.2 Exposure controls

8.2.1. Appropriate engineering controls No specific ventilation requirements noted, but ventilation may still be required if air

contamination exceeds acceptable level.

8.2.2. Personal protection equipment



Eye Protection Ware approved safety glasses or goggles



Skin protection Chemical-resistant, impervious gloves complying with an approved standard should

be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. To protect hands from

chemicals, gloves should comply with European Standard EN374



Respiratory protection No specific recommendations. Respiratory protection may be required if excessive

airborne contamination occurs.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Paste.
Colour Buff

Odour No characteristic odour

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability Not known.

Lower and upper explosion limit Not known.

Page: 4 - 9 Revision: 5.6 - Replaces: 5.5

Granville Oil & Chemicals Ltd.

SAFETY DATA SHEET

Date of Revision: 16-05-2023

Exhaust Assembly Paste

Flash Point Not known
Auto-ignition temperature Not known.
Decomposition Temperature Not known.
pH Not known
Kinematic Viscosity Not known.

Solubility Solubility (Water): Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density Density (g/ml): 1.85

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

No specific requirements are anticipated under normal conditions of use

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Acute toxicity - Skin Contact Calculation method : Not classified.

Acute toxicity - Inhalation Calculation method : Not classified.

Skin corrosion/irritation Calculation method : Causes skin irritation.

Serious eye damage/irritation Calculation method : Causes serious eye irritation.

Skin sensitization data

Respiratory sensitization data

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Reproductive toxicity

Calculation method : Not classified.

Calculation method : Not classified.

STOT - single exposure

Calculation method : Not classified.

Page: 5 - 9 Revision: 5.6 - Replaces: 5.5

Granville Oil & Chemicals Ltd.

SAFETY DATA SHEET

Date of Revision: 16-05-2023

Exhaust Assembly Paste

STOT - repeated exposure Calculation method : Not classified.

Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed

by burning, even when empty. Do not allow to enter drains, sewers or

watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator.

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number Not applicable14.2 UN proper shipping name Not applicable

Date of Revision: 16-05-2023

Exhaust Assembly Paste

14.3 Transport hazard class(es) Not applicable 14.4 Packing group Not applicable

14.5 Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user Not known

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances

Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the Silicic acid, sodium salt (1344-09-8)

manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan (CoRAP) Not listed Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



Page: 7 - 9 Revision: 5.6 - Replaces: 5.5



Date of Revision: 16-05-2023

Exhaust Assembly Paste

Hazard classification Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Eye Irrit. 2: Serious eye damage/irritation, Category 2

Hazard Statement(s) H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P338: Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364: Take off contaminated clothing. And wash it before reuse.

P501: Dispose of this container to hazardous or special waste collection point.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

data used to compile the SDS

Disclaimers Information contained in this publication or as otherwise supplied to Users is believed

to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular

Page: 8 - 9 Revision: 5.6 - Replaces: 5.5



Date of Revision: 16-05-2023

Exhaust Assembly Paste

purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 9 - 9 Revision: 5.6 - Replaces: 5.5