

### ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier						
Product Name	Autosol Dirt Lifter					
Product code	2734, 2391					
Unique Formula Identifier (UFI)	8WE0-V0H5-X00R-J318					
1.2 Relevant identified uses of the substance or mixture and uses advised against						
Identified Use(s)	Cleaning agent.					
Uses Advised Against	Not known.					
1.3 Details of the supplier of the safety da	ata sheet					
Manufacturer						
Company Identification	Granville Oil & Chemicals Ltd					
Address of Manufacturer	29 Goldthorpe Ind. Est.,					
	Goldthorpe,					
	Rotherham,					
	South Yorkshire,					
Postal code	S63 9BL					
Telephone:	+44 (0)1709 890099					
Fax	Not known.					
E-mail	lab@granvilleoil.com					
Office hours	08:00 - 17:00					
Supplier						
Company Identification	Veedol Deutschland GmbH					
Address of Supplier	Hans-Böckler-Straße 10					
	Langenfeld,					
	Germany					
Postal code	40764					
Telephone:	+49 (0) 2173 893 30 30					
Fax	Not known.					
E-mail	lab@granvilleoil.com					
Office hours						
1.4 Emergency telephone number						
Emergency Phone No.	+44 (0)1709 890099					
Contact	Granville Lab					
National response centre						
Address	NHS Direct					
Emergency Phone No.	+44 111					

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture



Date of Revision: 16-04-2024

# Autosol Dirt Lifter

Regulation (EC) No. 1272/2008 (CLP)	Skin Corr. 1 :Causes severe skin burns and eye damage. Eye Dam. 1 :Causes serious eye damage.
2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Autosol Dirt Lifter
Contains	sodium hydroxidecaustic soda
Hazard Pictogram(s)	$\wedge$
	GHS05
Signal Word(s)	Danger
Hazard Statement(s)	H314: Causes severe skin burns and eye damage.
Precautionary Statement(s)	P102: Keep out of reach of children.
	P264: Wash hands and exposed skin thoroughly after handling.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce
	vomiting. Immediately call a POISON CENTRE/doctor.
	P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water. Immediately call a POISON
	CENTRE/doctor.
	P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Immediately call a POISON CENTRE/doctor.
Unique Formula Identifier (UFI) 2.3 Other hazards	8WE0-V0H5-X00R-J318
	None known.
2.4 Additional Information	
	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
		Registration No.			Pictogram(s)
tetrasodium ethylene diamine	64-02-8	200-573-9	<2	Acute Tox. 4 H302	GHS05
tetraacetate				Eye Dam. 1 H318	GHS08
				Acute Tox. 4 H332	



				STOT RE 2 H373	GHS07
sodium hydroxidecaustic soda	1310-73-2	215-185-5		Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318	GHS05
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	147170-44-3	931-296-8		Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
Alcohols, C9-11, ethoxylated	68439-46-3	500-457-0	<0.5	Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Conce	ntration Limit	M- factor	ATE
tetrasodium ethylene diamine tetraacetate	64-02-8				Acute Tox. 4 (H302) : 500 Acute Tox. 4 (H332) : 11.000
sodium hydroxidecaustic soda	1310-73-2	Skin Corr. 1A	C>= 5.00 <= 100.00		
		Skin Corr. 1B	C>= 2.00 < 5.00		
		Skin Irrit. 2	C>= 0.50 < 2.00		
		Eye Irrit. 2	C>= 0.50 < 2.00		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs.,	147170-44-3	Eye Dam. 1	C> 10.00 <= 100.00		
inner salts		Eye Irrit. 2	C> 4.00 <= 10.00		
Alcohols, C9-11, ethoxylated	68439-46-3				Acute Tox. 4 (H302) : 500
sodium hydroxidecaustic soda	1310-73-2	Skin Corr. 1A	C>= 5.00 <= 100.00		
		Skin Corr. 1B	C>= 2.00 < 5.00		
		Skin Irrit. 2	C>= 0.50 < 2.00		
		Eye Irrit. 2	C>= 0.50 < 2.00		



Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a		
	position comfortable for breathing.		
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water. Wash		
	contaminated clothing before reuse. Immediately call a POISON CENTRE/doctor.		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present		
	and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON		
	CENTRE/doctor.		
4.2 Most important symptoms and effects, both acute and delayed			

Causes burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	Do not use water jet.
5.2 Special hazards arising from the su	ibstance or mixture
	May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures				
	Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face			
	protection.			
6.2 Environmental precautions				
	This material and its container must be disposed of in a safe way.			
6.3 Methods and material for containme	nt and cleaning up			
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a			
	container for disposal.			
6.4 Reference to other sections				
	See Also Section 8, 13.			
SECTION 7: HANDLING AND STORAG	E			

### 7.1 Precautions for safe handling



Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

	Store locked up.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	
	Cleaning agent.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Expos	ure Limits					
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Sodium hydroxide	1310-73-2				2	
Sodium hydroxide	1310-73-2				2	

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

#### 8.2 Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation. A washing facility/water for eye and skin cleaning
	purposes should be present.
8.2.2. Personal protection equipment	
Eye Protection	Wear eye protection with side protection (EN166).
Skin protection	Wear protective clothing and gloves: Impervious gloves (EN 374).
Respiratory protection	Normally no personal respiratory protection is necessary.
Thermal hazards	None known.
8.2.3. Environmental Exposure Control	s Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



9.1 Information on basic physical and che	9.1 Information on basic physical and chemical properties				
Physical state	Liquid.				
Colour	Green.				
Odour	Characteristic.				
Melting point/freezing point	Not known.				
Boiling point or initial boiling point and	Not known.				
boiling range					
Flammability	Not known.				
Lower and upper explosion limit	Not known.				
Flash Point	Not known.				
Auto-ignition temperature	Not known.				
Decomposition Temperature	Not known.				
рН	> 11.5.				
Kinematic Viscosity	Not known.				
Solubility	Solubility (Water) : Soluble.				
	Solubility (Other) : Not known.				
Partition coefficient n-octanol/water (log	Not known.				
value)					
Vapour pressure	Not known.				
Density and/or relative density	Not known.				
Relative vapour density	Not known.				
Particle characteristics	Not known.				
9.2 Other information					
	None.				

# 9.1 Information on basic physical and chemical properties

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	
	Not known.
10.6 Hazardous decomposition products	
	No hazardous decomposition products known.

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 56818.18
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.

Date of Revision: 16-04-2024



# Autosol Dirt Lifter

	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1718.75
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Causes serious eye damage.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.
11.2 Information on other hazards	

### Not known.

# SECTION 12: ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
•	
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	Not known.
12.3 Bioaccumulative potential	
	Not known.
12.4 Mobility in soil	
	Not known.
12.5 Results of PBT and vPvB assessment	nent
	Not known.
12.6 Endocrine disrupting properties	
	None known.
12.7 Other adverse effects	
	Not known.
SECTION 13: DISPOSAL CONSIDERA	TIONS
40.4. Maste tracture of mother de	
13.1 Waste treatment methods	
	Dispose of contents in accordance with local, state or national legislation. Send to
	a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.
13.2 Additional Information	
	Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION



14.1 UN number or ID number	
UN No.	1760
14.2 UN proper shipping name	
UN proper shipping name	CORROSIVE LIQUID, N.O.S.
14.3 Transport hazard class(es)	
ADR/RID	
ADR/RID Class	8
ADR Classification Code	C9
Special Provisions	274
Limited Quantities	5 L
Excepted Quantities	E1
Emergency Action Code	2X
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	Т7
Special Provisions for Portable Tanks	TP1 TP28
Tank Code for Tanks	L4BN
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	3
Tunnel Restriction Code	E
Special Provisions for Carriage -	V12
Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading	,
Unloading and Handling	
Special Provisions for Carriage -	
Operation	
ADR HIN	80
IMDG	
IMDG Class	8
Special Provisions	274
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	Τ7
Special Provisions for Portable Tanks	TP1 TP28
IMDG EMS	F-A, S-B
Stowage and Handling	Category A SW2
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
Excepted Quantities	E1



Passenger and Cargo Aircraft Limited	Y841
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	852
Instructions	
Passenger and Cargo Aircraft Max net	5L
Qty	
Cargo Aircraft Packing Instructions	856
Cargo Aircraft Max net Qty	60L
Special Provisions	A3, A803
Emergency Response Guidebook (ERG)	8L
Code	
Labels	
Labels	8
	B
14.4 Packing group	
Packing group	III
14.5 Environmental hazards	
Environmental hazards	Not classified as a Marine Pollutant.
14.6 Special precautions for user	

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations a	nd/or Restrictions On Use
Candidate List of Substances of Very	Not listed
High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation	
REACH: Annex XVII Restrictions on the	sodium hydroxidecaustic soda (1310-73-2), tetrasodium ethylene diamine
manufacture, placing on the market and	tetraacetate (64-02-8), Alcohols, C9-11, ethoxylated (68439-46-3), 1-
use of certain dangerous substances,	Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-
mixtures and articles	unsatd. acyl) derivs., inner salts (147170-44-3)
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EU) N° 2019/1021 of the	Not listed
European Parliament and of the Council	
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	



Date of Revision: 16-04-2024

# Autosol Dirt Lifter

Regulation (EU) N° 649/2012 of the	Not listed
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	

### A REACH chemical safety assessment has not been carried out.

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

### LEGEND

Hazard Pictogram(s) GHS05 GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard Hazard classification Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1 Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1 : Skin corrosion/irritation, Category 1 Skin Corr. 1A : Skin corrosion/irritation, Category 1A Eye Dam. 1 : Serious eye damage/irritation, Category 1 Acute Tox. 4 : Acute toxicity, Category 4 STOT RE 2 : Specific target organ toxicity - repeated exposure, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3 Hazard Statement(s) H290: May be corrosive to metals. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H332: Harmful if inhaled. H373: May cause damage to organs through prolonged or repeated exposure. H412: Harmful to aquatic life with long lasting effects. Precautionary Statement(s) P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting. Immediately call a POISON CENTRE/doctor.



Acronyms	P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. P321: Specific treatment (see Medical Advice on this label). P363: Wash contaminated clothing before reuse. P405: Store locked up. P501: Dispose of contents in accordance with local, state or national legislation. ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container ICAO : International Air Transport Association IBC : International Maritime Dangerous Goods LTEL : Long term exposure Imit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure Iimit STOT : Specific Target Organ Toxicity UN : United Nations
	vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for data used to compile the SDS	Regulation (EC) No. 1272/2008 (CLP)
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from



reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.