



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Smooth Metal Paint – Blue

Product code 9506, 9504, 9507, 9505, 4143, 4144, 1829, 1686, 2484, 0577

Unique Formula Identifier (UFI) PC30-M0MC-800V-63CA

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC9a Coatings and paints, thinners, paint removers

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

Responsible Person

Company Identification Veedol Deutschland GmbH
Address of Responsible Person Hans-Böckler-Straße 10

Langenfeld, Germany

Postal code 40764

Telephone: +49 (0) 2173 893 30 30

Fax Not known.

E-mail lab@granvilleoil.com

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099

Contact Granville Lab

National response centre

Address NHS Direct
Emergency Phone No. +44 111

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture





Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 :Flammable liquid and vapour.

Skin Sens. 1A: May cause an allergic skin reaction. STOT SE 3: May cause drowsiness or dizziness.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Smooth Metal Paint - Blue

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s) Warning

Hazard Statement(s) H226: Flammable liquid and vapour.

H317: May cause an allergic skin reaction.
H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Unique Formula Identifier (UFI) PC30-M0MC-800V-63CA

2.3 Other hazards

Supplemental label information EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do

not breathe spray or mist.

Contains HYDROCARBONS, C9-C11, n-ALKANES, ISOALKANES, CYCLICS,

2.4 Additional Information

For full text of H/P Statements see section 16.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances





Not applicable.

#### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
		Registration No.			Pictogram(s)
Hydrocarbons, C9-C11, n-alkanes,	64742-48-9	919-857-5	30-60	Flam. Liq. 3 H226	GHS02
isoalkanes, cyclics, <2% aromatics				Asp. Tox. 1 H304	GHS08
				STOT SE 3 H336	GHS07
Hydrocarbons, C9, aromatics	64742-95-6	918-668-5	5-10	Flam. Liq. 3 H226	GHS02
				Asp. Tox. 1 H304	GHS08
				STOT SE 3 H335	GHS07
				STOT SE 3 H336	GHS09
				Aquatic Chronic 2 H411	
trizinc bis(orthophosphate)	7779-90-0	231-944-3	<1	Aquatic Acute 1 H400	GHS09
				Aquatic Chronic 1 H410	
cobalt bis(2-ethylhexanoate)	136-52-7	205-250-6	<0.3	Skin Sens. 1A H317	GHS08
				Eye Irrit. 2 H319	GHS07
				Repr. 1B H360F	GHS09
				Aquatic Acute 1 H400	
				Aquatic Chronic 3 H412	

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if

symptoms are severe or persist.

Skin Contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Get

medical attention promptly if symptoms occur after washing.

Eye Contact Remove any contact lenses and open eyelids wide apart. Rinse with water.

Continue to rinse for at least 15 minutes. Get medical attention if irritation persists

after washing.

Ingestion Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the

Date of Revision:

31-03-2022



### Smooth Metal Paint - Blue

head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available on the mixture itself.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

Suitable Extinguishing media Extinguish with the following media: Foam. Dry chemicals, sand, dolomite etc.

Unsuitable extinguishing media None known.

### 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2).

Carbon monoxide (CO).

#### 5.3 Advice for firefighters

Move containers from fire area if it can be done without risk. Cool containers

exposed to flames with water until well after the fire is out.

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective clothing.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Keep unnecessary and unprotected personnel away from the area.

6.2 Environmental precautions

Use appropriate containment to avoid environmental contamination.

# 6.3 Methods and material for containment and cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains,

sewers or watercourses.

# 6.4 Reference to other sections

See Also Section 8, 13.

### SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid

inhalation of vapours. Use approved respirator if air contamination is above an

acceptable level.

Date of Revision: 31-03-2022



## Smooth Metal Paint - Blue

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. No specific hygiene procedures

recommended but good personal hygiene practices should always be observed

when working with chemical products.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage temperature Ambient. Flammable liquid storage.
Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

PC9a Coatings and paints, thinners, paint removers

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits									
SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr TWA	STEL	STEL	Note			
		TWA ppm)	mg/m³)	(ppm)	(mg/m³)				
Tungsten and compounds (as W) insoluble	7779-90-0		5		10				
compounds and others									

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

# 8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and

intrinsically safe electrical systems. Ensure adequate ventilation. A washing

facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

Date of Revision:

31-03-2022



### Smooth Metal Paint - Blue



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state Viscous liquid.

Colour Blue.

Odour Characteristic. Melting point/freezing point Not known. Boiling point or initial boiling point and Approx. 140°C.

boiling range

Flammability Not known.

Lower flammable/explosive limit: 0.7% Upper flammable/explosive limit: 7%. Lower and upper explosion limit

Flash Point 38°C Closed cup.

Auto-ignition temperature Not known. **Decomposition Temperature** Not known. рΗ Not known. Kinematic Viscosity >20.5 mm<sup>2</sup>/s

Solubility Solubility (Water): Immiscible with water.

Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log

value)

Vapour pressure Not known. Density and/or relative density 0.91 - 0.95. Relative vapour density Heavier than air. Particle characteristics Not known.

9.2 Other information

None.

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Flammable/combustible materials.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.



31-03-2022



#### Smooth Metal Paint - Blue

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

Avoid contact with the following materials: Acids. Oxidising agents.

10.6 Hazardous decomposition products

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide

(CO2).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion

Acute toxicity - Skin Contact

Acute toxicity - Skin Contact

Acute toxicity - Inhalation

Calculation method : Not classified.

Calculation method : Not classified.

Skin corrosion/irritation

Calculation method : Not classified.

Serious eye damage/irritation

Calculation method : Not classified.

Calculation method : Not classified.

Skin sensitization data Calculation method : May cause an allergic skin reaction.

Respiratory sensitization data

Germ cell mutagenicity

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Calculation method : Not classified.

Reproductive toxicity

Calculation method : Not classified.

Calculation method : Not classified.

Calculation method : Not classified.

STOT - single exposure Calculation method : May cause drowsiness or dizziness.

STOT - repeated exposure Calculation method : Not classified.

Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

### **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Date of Revision: 31-03-2022



## Smooth Metal Paint - Blue

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

#### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

# 14.1 UN number or ID number

UN No. 1263

14.2 UN proper shipping name

UN proper shipping name PAINT

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3
ADR Classification Code F1

Special Provisions 163, 367, 650

Limited Quantities 5 L

Excepted Quantities E1

Emergency Action Code •3Y

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages PP1
Mixed Packing Instructions for Packages MP19
Packing Instructions for Portable Tanks T2
Special Provisions for Portable Tanks TP1 TP29
Tank Code for Tanks LGBF

Special Provisions for Tanks

Vehicle for Tank Carriage FL
ADR Transport Category 3
Tunnel Restriction Code D/E





Special Provisions for Carriage - V12

Packages

Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading,

Unloading and Handling

Special Provisions for Carriage - S2

Operation

ADR HIN 30

IMDG

IMDG Class 3

Special Provisions 163, 367, 650

Limited Quantities 5 L
Excepted Quantities E1

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages PP1
Packing Instructions for Portable Tanks T2
Special Provisions for Portable Tanks TP1 TP29
IMDG EMS F-E, S-E

Segregation

Marine Pollutant

Stowage and Handling

ICAO/IATA

IATA Proper Shipping Name PAINT
Excepted Quantities E1
Passenger and Cargo Aircraft Limited Y344

**Quantities Packing Instructions** 

Passenger and Cargo Aircraft Limited 10L

Quantities Max net Qty

Passenger and Cargo Aircraft Packing 355

Instructions

Passenger and Cargo Aircraft Max net 60L

Qty

Cargo Aircraft Packing Instructions 366
Cargo Aircraft Max net Qty 220L

Special Provisions A3, A72, A192

Emergency Response Guidebook (ERG) 3L

Code Labels

Labels



Category A

14.4 Packing group

Packing group III





14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

# SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the Mutagens: category 1B (64742-48-9), Mutagens: category 1B (64742-95-6), trizinc

manufacture, placing on the market and bis(orthophosphate) (7779-90-0), cobalt bis(2-ethylhexanoate) (136-52-7)

use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan (CoRAP) trizinc bis(orthophosphate) (7779-90-0)

Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

### National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

# SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

## **LEGEND**

Hazard Pictogram(s)









GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification

Flam. Liq. 3: Flammable liquid, Category 3
Asp. Tox. 1: Aspiration hazard, Category 1
Skin Sens. 1A: Skin sensitization, Category 1A

Eye Irrit. 2: Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Repr. 1B: Reproductive toxicity, Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H360F: May damage fertility.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

Page: 11 - 13 Revision: 2.1 - Replaces: 2



P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

 ${\tt P303+P361+P353: IF\ ON\ SKIN\ (or\ hair):\ \ Take\ off\ immediately\ all\ contaminated}$ 

clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to

extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

ADN: European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

**UN**: United Nations

Acronyms





vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 13 - 13 Revision: 2.1 - Replaces: 2