

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Hypafleet E9 15W/40
Product code	6437, 6439
Unique Formula Identifier (UFI)	GNP0-E0MW-H008-3TG2
1.2 Relevant identified uses of the sub	ostance or mixture and uses advised against
Identified Use(s)	Lubricating oil
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety	y data sheet
Manufacturer	
Company Identification	Granville Oil & Chemicals Ltd.
Address of Manufacturer	29 Goldthorpe Ind. Est.,
	Goldthorpe,
	Rotherham,
	South Yorkshire,
Postal code	S63 9BL
Telephone:	+44 (0)1709 890099
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	08:00 - 17:00
Supplier	
Company Identification	Veedol Deutschland GmbH
Address of Supplier	Hans-Böckler-Straße 10
	Langenfeld,
	Germany
Postal code	40764
Telephone:	+44 (0)1709 890099
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	08:00 - 17:00
1.4 Emergency telephone number	
Emergency Phone No.	+44 (0)1709 890099
Contact	Granville Lab
National response centre	
Address	NHS Direct
Emergency Phone No.	+44 111
	•••

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.



2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Hypafleet E9 15W/40
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.
Unique Formula Identifier (UFI) 2.3 Other hazards	GNP0-E0MW-H008-3TG2
	EUH208: Contains: (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium
	salts) May produce an allergic reaction.
2.4 Additional Information	None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Phosphorodithioic acid, mixed O,O-bis(2-	85940-28-9	288-917-4	< 2	Skin Irrit. 2 H315	GHS05
ethylhexyl and iso-Bu and iso-Pr) esters, zinc				Eye Dam. 1 H318	GHS07
salts				Aquatic Chronic 2 H411	GHS09
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7	< 1	Skin Sens. 1B H317	GHS07
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1- 1.1)		430-380-7	< 0.5	Aquatic Chronic 2 H411	GHS09
calcium dihydroxide	1305-62-0	215-137-3	< 0.5	Skin Irrit. 2 H315 Eye Dam. 1 H318	GHS05 GHS07



				STOT SE 3 H335	
diphenylamine	122-39-4	204-539-4	< 0.5	Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS08 GHS09
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25		265-148-2	< 0.5	Asp. Tox. 1 H304 Skin Irrit. 2 H315 Acute Tox. 4 H332 Carc. 1B H350 STOT RE 2 H373 Aquatic Chronic 2 H411	GHS08 GHS07 GHS09
and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]					

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-	ATE
		Concentration	factor	
		Limit		
diphenylamine	122-39-4			Acute Tox.
				3 (H301)
				:100.000
				Acute Tox.
				3 (H311)
				:300.000
				Acute Tox.
				3 (H331) :
				3.000
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex	64742-46-7			Acute Tox.
combination of hydrocarbons obtained by treating a petroleum fraction with				4 (H332) :
hydrogen in the presence of a catalyst. It consists of hydrocarbons having				11.000
carbon numbers predominantly in the range of C11 through C25 and boiling				
in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]				

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.



SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.
4.2 Most important symptoms and effects	s, both acute and delayed
	May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable Extinguishing media	Foam, CO₂ or dry Powder.
Unsuitable extinguishing media	Do not use water.
5.2 Special hazards arising from the s	ubstance or mixture
	None anticipated. Heating may cause decomposition.
5.3 Advice for firefighters	
	As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures				
	Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.			
6.2 Environmental precautions				
	Do not release large quantities into the surface water or into drains.			
6.3 Methods and material for containment and cleaning up				
	Adsorb spillages onto sand, earth or any suitable adsorbent material.			
6.4 Reference to other sections				
	See Also Section 8, 13.			

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not known.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature
Storage life

Ambient. Stable under normal conditions.



Incompatible materials

None known.

7.3 Specific end use(s)

Lubricating oil

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Calcium hydroxide	1305-62-0		5			
Calcium hydroxide - Respirable	1305-62-0		1		4	
fraction						
Diphenylamine	122-39-4		10		20	

Region

Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Notes

	Eye Protection	Wear eye protection with side protection (EN166).
	Skin protection	Wear Impervious Gloves (EN374)
	Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
	Thermal hazards	None known.
8.2.3. Environi	mental Exposure Controls	Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



Physical state	Liquid.
Colour	Amber
Odour	Characteristic odour
Melting point/freezing point	Not known.
Boiling point or initial boiling point and	Not known.
boiling range	
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	>200 °C
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
рН	Not known.
Kinematic Viscosity	=109 mm²/s 40 °C
Solubility	Solubility (Water) : Not known.
	Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml): 0.874 g/cm³ - Relative density: 15 °C
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	
	Not known.
10.6 Hazardous decomposition products	
	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Not classified.



Date of Revision: 20-03-2023

Hypafleet E9 15W/40

	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Skin Contact	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Inhalation	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 30697.67000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Information on other hazards	

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	Not known.
12.3 Bioaccumulative potential	
· · · · · · · · · ·	Not known.
12.4 Mahilihi in anil	
12.4 Mobility in soil	
	Not known.
12.5 Results of PBT and vPvB assessment	
	Not known.
12.6 Endocrine disrupting properties	
	None known
12.7 Other adverse effects	
	Not known.
SECTION 13: DISPOSAL CONSIDERATIONS	



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use	
Candidate List of Substances of Very	Not listed
High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation	
REACH: Annex XVII Restrictions on the	Carcinogens: category 1B (64742-46-7), Phosphorodithioic acid, mixed O,O-bis(2-
manufacture, placing on the market and	ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), Benzenesulfonic
use of certain dangerous substances,	acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0), reaction product of
mixtures and articles	cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide
	(1.75-2.2: 0.75-1.0:0.1-1.1) (), calcium dihydroxide (1305-62-0), diphenylamine (122-
	39-4)
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EC) N° 850/2004 of the	Not listed
European Parliament and of the Council	
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	



Regulation (EU) N° 649/2012 of the	Diphenylamine (122-39-4)
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)	None.
	GHS05: GHS: Corrosion
	GHS06: GHS: Skull and crossbones
	GHS07: GHS: Exclamation mark
	GHS08: GHS: Health hazard
	GHS09: GHS: Environment
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3
	Asp. Tox. 1 : Aspiration hazard, Category 1
	Acute Tox. 3 : Acute toxicity, Category 3
	Skin Irrit. 2 : Skin corrosion/irritation, Category 2
	Skin Sens. 1B : Skin sensitization, Category 1B
	Eye Dam. 1 : Serious eye damage/irritation, Category 1
	Eye Irrit. 2 : Serious eye damage/irritation, Category 2
	Acute Tox. 3 : Acute toxicity, Category 3
	STOT SE 3 : Specific tty — single exposure, Category 3
	Carc. 1B : Carcinogenicity, Category 1B
	STOT RE 2 : Specific t — repeated exposure, Category 2
	Aquatic Acute 1 : Hazardous aquatic environment, Acute, Category 1
	Aquatic Chronic 1 : Hazardous aquatic environment, Chronic, Category 1
	Aquatic Chronic 2 : Hazardous aquatic environment, Chronic, Category 2

Hazard Statement(s)

H301: Toxic if swallowed.



	H304: May be fatal if swallowed and enters airways.
	H311: Toxic in contact with skin.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H331: Toxic if inhaled.
	H335: May cause respiratory irritation.
	H350: May cause cancer.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	None.
Acronyms	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Date of Revision: 20-03-2023

Hypafleet E9 15W/40