

**ABRO White RTV Silicone Gasket Maker**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name	ABRO White RTV Silicone Gasket Maker
Product code	14-AB
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	Silicone elastomer.
Uses Advised Against	Not known.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer	
Company Identification	ABRO Industries Inc
Address of Manufacturer	3580 Blackthorn Court South Bend USA
Postal code	46628
Telephone:	+1 574-232-8289
Fax	Not known.
E-mail	abro@abro.com
Office hours	
Supplier	
Company Identification	Granville Oil & Chemicals Ltd
Address of Supplier	29 Goldthorpe Ind. Est., Goldthorpe, Rotherham, South Yorkshire,
Postal code	S63 9BL
Telephone:	+44 (0)1709 890099
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	08:00 - 17:00

**1.4 Emergency telephone number**

Contact	NHS Direct
Emergency Phone No.	+44 111

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Carc. 1B :May cause cancer.

**2.2 Label elements**

**ABRO White RTV Silicone Gasket Maker**

Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
ABRO White RTV Silicone Gasket Maker

Hazard Pictogram(s)



GHS08

Signal Word(s) Danger

Hazard Statement(s) H350: May cause cancer.

Precautionary Statement(s) P102: Keep out of reach of children.  
P103: Read label before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P405: Store locked up.  
P501: Dispose of contents in accordance with local, state or national legislation.

**2.3 Other hazards**

None known.

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
silicon dioxide	7631-86-9	231-545-4	5-10	Not classified	None
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of	64742-46-7	265-148-2	5-10	Carc. 1B H350	GHS08

**ABRO White RTV Silicone Gasket Maker**

hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 ° C to 400 ° C (401 ° F to 752 ° F).]					
titanium dioxide	13463-67-7	236-675-5	1-5	Carc. 2 H351	GHS08

Contains no non-classified vPvB substances.

Contains a non-classified substance with a Union workplace exposure limit. Silica, amorphous inhalable dust (7631-86-9)

For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation	If inhaled, remove to fresh air.
Skin Contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
Eye Contact	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists
Ingestion	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

**4.2 Most important symptoms and effects, both acute and delayed**

Treat symptomatically.

**4.3 Indication of any immediate medical attention and special treatment needed**

IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media	Water spray, Alcohol-resistant foam, Dry chemical, Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	None.

**5.2 Special hazards arising from the substance or mixture**

Exposure to combustion products may be a hazard to health.

**5.3 Advice for firefighters**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Ensure full personal protection (including respiratory protection) during removal of spillages.

**6.2 Environmental precautions**

**ABRO White RTV Silicone Gasket Maker**

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

**6.3 Methods and material for containment and cleaning up**

Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Obtain special instructions before use. Use only with adequate ventilation. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Take care to prevent spills, waste and minimize release to the environment.

**7.2 Conditions for safe storage, including any incompatibilities**

Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

Strong oxidizing agents.

**7.3 Specific end use(s)**

Silicone elastomer.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Silica, amorphous inhalable dust	7631-86-9		6			
Silica, amorphous respirable dust	7631-86-9		2.4			
Titanium dioxide total inhalable	13463-67-7		10			
Titanium dioxide respirable	13463-67-7		4			

Region                      Source  
United Kingdom        UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark                    Notes

**8.2 Exposure controls**

**ABRO White RTV Silicone Gasket Maker**

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	Paste.
Colour	White.
Odour	Acetic acid.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not applicable.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	1.007.
Relative vapour density	Not known.
Particle characteristics	Not known.

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY**

**ABRO White RTV Silicone Gasket Maker****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Acetic acid is formed upon contact with water or humid air. When heated to temperatures above 150 ° C (300 ° F) in the presence of air, trace quantities of formaldehyde may be released. Adequate ventilation is required. Hazardous decomposition products will be formed at elevated temperatures.

**10.4 Conditions to avoid**

None anticipated.

**10.5 Incompatible materials**

Oxidizing agents.

**10.6 Hazardous decomposition products**

Formaldehyde.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : May cause cancer.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

**ABRO White RTV Silicone Gasket Maker**

Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation.  
Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION****Not classified as hazardous for transport.****14.1 UN number or ID number**

Not applicable

**14.2 UN proper shipping name**

Not applicable

**14.3 Transport hazard class(es)**

Not applicable

**14.4 Packing group**

Not applicable

**14.5 Environmental hazards**

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Not known

**14.7 Maritime transport in bulk according to IMO instruments**

Not known

**ABRO White RTV Silicone Gasket Maker****SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Carcinogens: category 1B (64742-46-7)

Community Rolling Action Plan (CoRAP) silicon dioxide (7631-86-9), titanium dioxide (13463-67-7)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS08

Hazard classification

Carc. 1B : Carcinogenicity, Category 1B  
Carc. 2 : Carcinogenicity, Category 2

Hazard Statement(s)

H350: May cause cancer.  
H351: Suspected of causing cancer.



**ABRO White RTV Silicone Gasket Maker**

Precautionary Statement(s)	<p>P102: Keep out of reach of children.</p> <p>P103: Read label before use.</p> <p>P201: Obtain special instructions before use.</p> <p>P202: Do not handle until all safety precautions have been read and understood.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P308+P313: IF exposed or concerned: Get medical advice/attention.</p> <p>P405: Store locked up.</p> <p>P501: Dispose of contents in accordance with local, state or national legislation.</p>
Acronyms	<p>ATE : Acute Toxicity Estimate</p> <p>CAS : Chemical Abstracts Service</p> <p>CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures</p> <p>DNEL : Derived No Effect Level</p> <p>EC : European Community</p> <p>EINECS : European Inventory of Existing Commercial Chemical Substances</p> <p>LTEL : Long term exposure limit</p> <p>PBT : Persistent, Bioaccumulative and Toxic</p> <p>PNEC : Predicted No Effect Concentration</p> <p>REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals</p> <p>STEL : Short term exposure limit</p> <p>STOT : Specific Target Organ Toxicity</p> <p>vPvB : very Persistent and very Bioaccumulative</p>
Key literature references and sources for data used to compile the SDS	Regulation (EC) No. 1272/2008 (CLP)
Disclaimers	<p>Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ABRO Industries Inc gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ABRO Industries Inc accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.</p>