



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name FS-XC 0W/20

Product code 1066, 1067, 1068, 1072 Unique Formula Identifier (UFI) QAM1-G05G-T00J-1U3M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Uses Advised Against

Lubricating oil

Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd.

Address of Manufacturer 29 Goldthorpe Ind. Est.,

Goldthorpe, Rotherham, South Yorkshire,

Postal code S63 9BL

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com

Office hours 08:00 - 17:00

Supplier

Company Identification Veedol Deutschland GmbH
Address of Supplier Hans-Böckler-Straße 10

Langenfeld, Germany

Postal code 40764

Telephone: +44 (0)1709 890099

Fax Not known.

E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099

Contact Granville Lab

National response centre

Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

Page: 1 - 11 Revision: 1.4 - Replaces: 1.3

Date of Revision:

18-04-2023



FS-XC 0W/20

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name FS-XC 0W/20

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) None.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

Unique Formula Identifier (UFI) QAM1-G05G-T00J-1U3M

2.3 Other hazards

EUH208: Contains: (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium

salts) May produce an allergic reaction.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C20-50,	72623-87-1	276-738-4	50 -	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-based Baseoil -			90		
unspecified					
reaction mass of isomers of: C7-9-alkyl 3-(3,5-	125643-61-0	406-040-9	<0.6	Aquatic Chronic 4 H413	None
di-tert-butyl-4-hydroxyphenyl)propionate					
Benzenamine, N-phenyl-, reaction products	68411-46-1	270-128-1	< 1	Aquatic Chronic 3 H412	None
with 2,4,4-trimethylpentene					
Phosphorodithioic acid, mixed O,O-bis(2-	85940-28-9	288-917-4	< 2	Skin Irrit. 2 H315	GHS05
ethylhexyl and iso-Bu and iso-Pr) esters, zinc				Eye Dam. 1 H318	GHS07
salts				Aquatic Chronic 2 H411	GHS09
				·	
	1				



Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7	< 1	Skin Sens. 1B H317	GHS07
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-1.1)		430-380-7	< 1	Aquatic Chronic 2 H411	GHS09
calcium dihydroxide	1305-62-0	215-137-3	< 1	Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
diphenylamine	122-39-4	204-539-4	< 0.5	Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS08 GHS09
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]	64742-46-7	265-148-2	< 0.5	Asp. Tox. 1 H304 Skin Irrit. 2 H315 Acute Tox. 4 H332 Carc. 1B H350 STOT RE 2 H373 Aquatic Chronic 2 H411	GHS08 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-	ATE
		Concentration	factor	
		Limit		
diphenylamine	122-39-4			Acute Tox.
				3 (H301)
				:100.000
				Acute Tox.
				3 (H311)
				:300.000
				Acute Tox.
				3 (H331) :
				3.000



SAFETY DATA SHEET

Date of Revision:

18-04-2023

FS-XC 0W/20

Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex 64742-46-7	Acute Tox.
combination of hydrocarbons obtained by treating a petroleum fraction with	4 (H332) :
hydrogen in the presence of a catalyst. It consists of hydrocarbons having	11.000
carbon numbers predominantly in the range of C11 through C25 and boiling	
in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]	

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media Foam, CO₂ or dry Powder.

Unsuitable extinguishing media Do not use water.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

Page: 4 - 11 Revision: 1.4 - Replaces: 1.3



18-04-2023



FS-XC 0W/20

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not known.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Lubricating oil

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						•
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Calcium hydroxide	1305-62-0		5			
Calcium hydroxide - Respirable	1305-62-0		1		4	
fraction						
Diphenylamine	122-39-4		10		20	

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear Impervious Gloves (EN374)



Date of Revision:

18-04-2023



FS-XC 0W/20

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour Amber

Odour Characteristic odour

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition Temperature

Not known.

Not known.

Not known.

Kinematic Viscosity =41 mm²/s 40 °C

Solubility (Water): Not known.
Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density Density (g/ml): 0.844 g/cm³ - Relative density: 15 °C

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Page: 6 - 11 Revision: 1.4 - Replaces: 1.3



None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Not classified.

Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000

Acute toxicity - Skin Contact Not classified.

Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000

Acute toxicity - Inhalation Not classified.

Calculated acute toxicity estimate (ATE) Calc ATE - 30697.67000

Skin corrosion/irritation Not classified. Serious eye damage/irritation Not classified. Skin sensitization data Not classified. Respiratory sensitization data Not classified. Germ cell mutagenicity Not classified. Carcinogenicity Not classified. Reproductive toxicity Not classified. Lactation Not classified. STOT - single exposure Not classified. STOT - repeated exposure Not classified. Not classified. Aspiration hazard

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Date of Revision:

18-04-2023

FS-XC 0W/20

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

No special precautions are required for this product.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

Date of Revision: 18-04-2023



FS-XC 0W/20

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Carcinogens: category 1B (64742-46-7), Carcinogens: category 1B (72623-87-1), Carcinogens: category 1B (72623-87-1), Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), Benzenamine, N-

phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1),

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0), reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-1.1) (), calcium dihydroxide (1305-62-0),

diphenylamine (122-39-4)

Community Rolling Action Plan (CoRAP) Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-

1)

Regulation (EC) N° 850/2004 of the

Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on

Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the

Diphenylamine (122-39-4)

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s) None.

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification Acute Tox. 3 : Acute toxicity, Category 3

Asp. Tox. 1: Aspiration hazard, Category 1

Acute Tox. 3: Acute toxicity, Category 3

Skin Irrit. 2: Skin corrosion/irritation, Category 2

Skin Sens. 1B: Skin sensitization, Category 1B



18-04-2023



FS-XC 0W/20

Eye Dam. 1: Serious eye damage/irritation, Category 1

Acute Tox. 3 : Acute toxicity, Category 3
Acute Tox. 4 : Acute toxicity, Category 4

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Carc. 1B: Carcinogenicity, Category 1B

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H301: Toxic if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H350: May cause cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

Acronyms

None.

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Page: 10 - 11 Revision: 1.4 - Replaces: 1.3





STEL : Short term exposure limit STOT : Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 11 - 11 Revision: 1.4 - Replaces: 1.3