

## Ce-lit Radiator Stop Leak

24 per Card Sachet / Display, 14g Sachet/Blister & Tube/Blister

### PRODUCT DESCRIPTION

Celit Radiator Stop Leak has been specifically developed to temporarily repair leaks in automotive cooling systems, cylinder blocks and water pumps even when used with antifreeze. Powder formulation comes in handy sachets for cars, or tubes for larger vehicles such as trucks and tractors. (Not suitable for certain Rover models).

The product is compatible with all types of glycol based antifreeze normally used in cooling systems.

### PRODUCT BENEFITS

- \* Temporarily seals radiators, cylinder heads and water pumps.
- \* Works with antifreeze

### PRODUCT USAGE

For repairing leaking radiators, cylinder heads and water pumps.

### DIRECTIONS FOR USE

CAUTION - NEVER REMOVE RADIATOR CAP WHEN ENGINE IS HOT.

Fill radiator to just below the top, run engine until warm then pour contents into radiator - or header tank - and replace radiator cap. Idle engine until leak is sealed. Top up radiator if necessary.

### DOSAGE INFORMATION

Treatment Rate: 1 sachet treats approximately 12 litres of water  
1 tube treats approximately 27 litres of water

### STORAGE INSTRUCTIONS

Store sealed in a cool, dry place.



\* Image for illustrative purposes only.

| SIZE                         | PART NO | BARCODE       |
|------------------------------|---------|---------------|
| 24 per Card Sachet / Display | 0714    | 5020618002444 |
| 14g Sachet/Blister           | 0712    | 5020618007128 |
| Tube/Blister                 | 0713    | 5020618007135 |



# Ce-lit Radiator Stop Leak

24 per Card Sachet / Display, 14g Sachet/Blister & Tube/Blister

## SHELF LIFE

If stored dry and away from moisture, 2 years from date of manufacture.

**Appearance** : Amber/ brown blend of seed and powders.

**Odour** : Characteristic

**Specific Gravity** : n/a

## SAFETY PRECAUTIONS

Please see our latest EC Safety Data Sheets for details.

## TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

