# Granville
# Electro Connector
### 3g & 3g Norwegian

## PRODUCT DESCRIPTION

Granville Electro Connector is a silver based, do it yourself electrical repair kit specifically designed to repair broken rear window demisters. It will also repair printed circuit boards, radio antenna connections, alarm systems and other low voltage electrical installations.

NB - This product will not bond electric contacts to the windscreen glass.




* Image for illustrative purposes only.

## PRODUCT BENEFITS

* Restores broken heated rear window elements
* Elminates the need for expensive replacement glass
* Can be used on low voltage printed circuit boards

| SIZE | PART NO | BARCODE |
|---|---|---|
| **3g** | 0375 | 5020618003755 |
| **3g Norwegian** | 1450 | N/A |

## PRODUCT USAGE

Granville Electro Connector has been specifically developed for the repair of automotive rear window demisters.

## DIRECTIONS FOR USE

Shake the container thoroughly for about 30 seconds to ensure it is properly mixed.
Affix the masking template provided to the area to be repaired using a small amount of masking tape.
Apply the product using the brush provided to the area to be repaired.
Leave for about 25-30 minutes then re-mix the container and apply a further coat of paint.
Allow a minimum of 5 hours drying time before attempting to use the window demister.
Do not paint over existing element, Electro connector should only be used to fill the gap between broken elements.
The container is 20-25% full to ensure thorough mixing by shaking.

HIGH PERFORMANCE
PREMIUM QUALITY

AUTOMOTIVE LUBRICANTS • QUALITY CHEMICALS • PREMIER BRANDS

**Granville Oil & Chemicals Ltd.**
29 Goldthorpe Ind. Est., Goldthorpe, Rotherham S63 9BL ENGLAND
Tel: +44 (0)1709 890099 • Web: www.granvilleoil.com

# Granville
# Electro Connector
### 3g & 3g Norwegian

## STORAGE INSTRUCTIONS

Store in a cool dry area between 5°C and 30°C out of direct sunlight.

## SHELF LIFE

1 year from date of manufacture in unopened container

| | | |
|---|---|---|
| **Appearance** | : | Silver coloured thixotropic liquid |
| **Odour** | : | Characteristic |
| **Solubility** | : | Insoluble in water |
| **Flammability** | : | Flammable |
| **VOC** | : | VOC in g/l 2004/42/II1(i):600g/l(2007)/500g/l(2010). Product contains 400g/l |

## SAFETY PRECAUTIONS

Please see our latest EC Safety Data Sheets for details.

## TRANSPORT CLASSIFICATION

Please see our latest EC Safety Data Sheets for details.

AUTOMOTIVE LUBRICANTS • QUALITY CHEMICALS • PREMIER BRANDS




**Granville Oil & Chemicals Ltd.**
29 Goldthorpe Ind. Est., Goldthorpe, Rotherham S63 9BL ENGLAND
Tel: +44 (0)1709 890099 • Web: www.granvilleoil.com