



## Veedol Multigrade Super 10W/40

1 Litre & 5 Litre

### Product Description

Veedol Multigrade Super 10W-40 motor oil is based on a combination of high quality solvent refined mineral and synthetic base oils. By adding a well balanced choice of additives the following properties are obtained: high and stable viscosity index; fast cold start; strong resistance against oxidation; good detergency and dispersion; safe lubrication film at high temperatures; protection against wear, corrosion and foaming. Veedol Multigrade Super 10W-40 is recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans.



\* Image for illustrative purposes only.

### OEM Approvals

MB-Approval: 229.1

### Recommended for use by Granville for the following manufacturer's specifications

ACEA: A3/B4

API: SL/CF

VW: 502.00 & 505.00

### Product Benefits

- \* OEM Approved product
- \* Good detergency and dispersion
- \* Strong protection against wear, corrosion and foaming

### Product Usage

Recommended for applications where this grade and specification of lubricant is required

### Directions for Use

Use as per the engine manufacturers handbook

### Storage Instructions

Store sealed and upright in a cool dry place out of the reach of children

### Shelf Life

5 years from date of manufacture

**Appearance** : Amber oily liquid

Size	Part No	Barcode
1 Litre	5020	5020618050209
5 Litre	5021	5020618050216





## Veedol Multigrade Super 10W/40

1 Litre & 5 Litre

Odour	:	Characteristic
Specific Gravity	:	0.873
Solubility	:	Insoluble in water
Flashpoint	:	224°C
Kinematic Viscosity @ 40°C	:	95.40 cSt (typical)
Kinematic Viscosity @ 100°C	:	14.20 cSt (typical)
Viscosity Index	:	153
Sulphated Ash	:	1.29
Pour Point	:	-39
Total Base Number (TBN)	:	10.2 mgKOH/g

### Safety Precautions

Please see our latest EC Safety Data Sheets for details.

### Transport Classification

Please see our latest EC Safety Data Sheets for details.

*\* The information contained in this leaflet is provided to enable the user to assess the product and should not be taken as a specification. All information provided is given in good faith, we can however not assume liability. It is up to the user to ensure that the information and the product is suitable for the use intended.*

