



G+Pro White Grease with PTFE

500ml

Product Description

G + PRO White Grease with PTFE is a white, adhering spray grease in a spray can, based on lubricating greases. It is water-repellent and wear lagging, free from silicone and acid. The material thus extends the service life of the lubricant parts, even when exposed to higher pressure, impact to strain and vibratory stresses. White Grease with PTFE also exhibits excellent lubricating and corrosion protection characteristics. When used for hollow bodies or roll bearings the space must only be filled up to one third.

Product Benefits

- * Reduces wear in mechanical drives, gearwheels, chains and linkages
- * White colour is suitable for use on visible parts which should not be lubricated with dark greases for optical reasons e.g seat rails, hinges etc.
- * White colour gives a good indication of area of application and visible evidence of attention by technician
- * Product has excellent durability and water-resisting properties
- * Viscosity gives reduced wash-off and improved durability
- * Additives and ingredients give excellent lubrication and enhanced slip properties offering superb performance in applications where surfaces rub-together under loading



* Image for illustrative purposes only.

| Size | Part No | Barcode |
|-------|---------|---------------|
| 500ml | 1080 | 5020618010807 |

Product Usage

Use G + PRO White Grease with PTFE as a universal lubricant and protectant

Directions for Use

- 1.Shake aerosol well before use
- 2.Clean area to be sprayed of all dirt, grime and water before use
- 3.Hold can 15-20 cm away

Storage Instructions

This aerosol should be stored out of direct sunlight and below 50°C

Shelf Life

24 months from date of manufacture

- Appearance** : White thickened liquid
- Odour** : Characteristic





G+Pro

White Grease with PTFE

500ml

| | | |
|------------------|---|--------------------|
| Specific Gravity | : | 0.76 |
| Solubility | : | Insoluble in water |
| Flammability | : | Highly flammable |
| VOC | : | 324g per Litre |

Safety Precautions

Please see our latest EC Safety Data Sheets for details.

Transport Classification

Please see our latest EC Safety Data Sheets for details.

** The information contained in this leaflet is provided to enable the user to assess the product and should not be taken as a specification. All information provided is given in good faith, we can however not assume liability. It is up to the user to ensure that the information and the product is suitable for the use intended.*

